

=> fil reg  
FILE 'REGISTRY' ENTERED AT 14:39:22 ON 26 DEC 2007  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 25 DEC 2007 HIGHEST RN 959463-53-7  
DICTIONARY FILE UPDATES: 25 DEC 2007 HIGHEST RN 959463-53-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>


=> => => d que stat l11  
L5 STR



VAR G1=O/S/SE/N  
VAR G2=O/S/SE  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE  
L7 188593 SEA FILE=REGISTRY SSS FUL L5  
L9 STR



VAR G1=O/S/SE/N

VAR G2=O/S/SE  
 NODE ATTRIBUTES:  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC 8  
 NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE  
 L11 141386 SEA FILE=REGISTRY SUB=L7 SSS FUL L9

100.0% PROCESSED 183688 ITERATIONS  
 SEARCH TIME: 00.00.01

141386 ANSWERS

=> d his nofile

(FILE 'HOME' ENTERED AT 14:08:25 ON 26 DEC 2007)

FILE 'HCAPLUS' ENTERED AT 14:08:45 ON 26 DEC 2007

L1 1 SEA ABB=ON PLU=ON US2007123690/PN  
 SEL RN

FILE 'REGISTRY' ENTERED AT 14:09:16 ON 26 DEC 2007

L2 12 SEA ABB=ON PLU=ON (107396-23-6/BI OR 110-87-2/BI OR  
 122-39-4/BI OR 141-97-9/BI OR 318497-39-1/BI OR 57999-49-  
 2/BI OR 591-20-8/BI OR 852994-50-4/BI OR 852994-51-5/BI  
 OR 852994-52-6/BI OR 852994-53-7/BI OR 852994-54-8/BI)  
 D SCA

FILE 'LREGISTRY' ENTERED AT 14:12:53 ON 26 DEC 2007

L3 STR

FILE 'REGISTRY' ENTERED AT 14:14:07 ON 26 DEC 2007

L4 50 SEA SSS SAM L3

FILE 'LREGISTRY' ENTERED AT 14:14:56 ON 26 DEC 2007

L5 STR L3

FILE 'REGISTRY' ENTERED AT 14:15:34 ON 26 DEC 2007

L6 50 SEA SSS SAM L5  
 L7 188593 SEA SSS FUL L5  
 SAV TEMP L7 LIS293/A  
 L8 5 SEA ABB=ON PLU=ON L2 AND L7  
 L9 STR L5  
 L10 50 SEA SUB=L7 SSS SAM L9  
 L11 141386 SEA SUB=L7 SSS FUL L9  
 L12 546 SEA ABB=ON PLU=ON L11 AND PMS/CI  
 L13 140840 SEA ABB=ON PLU=ON L11 NOT L12

FILE 'HCAPLUS' ENTERED AT 14:31:16 ON 26 DEC 2007

L14 210 SEA ABB=ON PLU=ON L12 (L) PREP+ALL/RL  
 L15 9374 SEA ABB=ON PLU=ON L13 (L) RACT/RL  
 L16 QUE ABB=ON PLU=ON CONJUGAT?  
 L17 20 SEA ABB=ON PLU=ON L14 AND L16  
 L18 389 SEA ABB=ON PLU=ON L15 AND L16  
 L19 QUE ABB=ON PLU=ON MONOMER? OR PRECURSOR?  
 L20 25 SEA ABB=ON PLU=ON L18 AND L19

L21 38 SEA ABB=ON PLU=ON L17 OR L20  
 L22 20 SEA ABB=ON PLU=ON L21 AND L17  
 L23 25 SEA ABB=ON PLU=ON L21 AND L20  
 L24 18 SEA ABB=ON PLU=ON L21 NOT L22

=> fil hcap

FILE 'HCAPLUS' ENTERED AT 14:39:52 ON 26 DEC 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Dec 2007 VOL 147 ISS 26

FILE LAST UPDATED: 25 Dec 2007 (20071225/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d l22 ibib abs hitstr hitind 1-20

L22 ANSWER 1 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:788631 HCAPLUS Full-text

DOCUMENT NUMBER: 147:197339

TITLE: Conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers

INVENTOR(S): Nilsson, Rune; Sandberg, Bengt; Wilbur, Scott

PATENT ASSIGNEE(S): Mitra Medical AB, Swed.

SOURCE: PCT Int. Appl., 61pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
WO 2007080114	A2	20070719	WO 2007-EP209	20070111

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM,

ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,  
 IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR,  
 BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,  
 TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,  
 ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:


US 2006-758025P

P

200601

11

GI



AB The invention relates to a macromol. comprising (a) a polymer central core having  $\geq 2$  atoms to which  $\geq 2$  monomers are attached forming a dendritic structure comprising  $\geq 3$  polymer bonds, (b)  $\geq 3$  linear polymers being bond to said polymer bonds, wherein said polymers (b) at least have terminal functional groups for cytotoxic agents, and (c) at least on extended polymer having a size of  $\geq 1$  carbon atom longer than said polymers (b) and at least a terminal functional group for a targeting agent. The invention also relates to a conjugates of of this macromol. with biotin as the affinity ligand and conjugates of the resulting product with cytotoxic agents for therapeutic uses. A typical biotin conjugate was manufactured by reaction of bis(2,3,5,6-tetrafluorophenyl) 5-(tert-butoxycarbonylamino)isophthalate with tert-Bu N-[3-[2-[2-(3-aminopropoxy)ethoxy]ethoxy]propyl]carbamate, reaction of the intermediate with N-[1-[3-[2-[2-(3-aminopropoxy)ethoxy]ethoxy]propylaminocarbonyl]ethyl]amide of biotin, reaction of the 2nd intermediate with TFA, reaction of the di-TFA salt of the 3rd intermediate with azide I, reaction of the 4th intermediate with thiocarbonyl diimidazole, reaction of the 5th intermediate with polyethylene glycol 2-aminoethyl 2-carboxylethyl ether, reaction of the 6th intermediate with 2,3,5,6- tetrafluorophenyl trifluoroacetate, and reaction of the 7th intermediate with generation 2 of PAMAM dendrimer, reaction of the 8th intermediate with polyethylene glycol 2-(tert- butoxycarbonylamino)ethyl 2-(2,3,5,6-tetrafluorophenoxy carbonyl)ethyl ether, removal of the tert-butoxycarbonyl protective groups from the 9th intermediate, and reaction of the 10th intermediate with 2,3,5,6-tetrafluorophenyl 4-[2-(tert-butoxycarbonyl)hydrazinocarbonyl]benzoate.

IT 944251-13-2P 944251-14-3P 944251-15-4P  
 944251-16-5P

RL: IMF (Industrial manufacture); RCT (Reactant);

PREP (Preparation); RACT (Reactant or reagent)

(precursor; conjugates of cytotoxic agents

and dendrimers chain-extended with linear polymers)


RN 944251-13-2 HCAPLUS

CN 1,3-Benzenedicarboxamide, 5-amino-N1-[16-(7-azido-4-methyl-2-oxo-2H-1-benzopyran-3-yl)-15-oxo-4,7,10-trioxa-14-azahexadec-1-yl]-N3-[16-ethyl-22-(hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl)-15,18-dioxo-4,7,10-trioxa-14,17-diazadocos-1-yl]- (CA INDEX NAME)


Absolute stereochemistry.




PAGE 1-A



PAGE 1-B



PAGE 1-C




RN 944251-14-3 HCAPLUS


CN 1,3-Benzenedicarboxamide, N1-[16-(7-azido-4-methyl-2-oxo-2H-1-benzopyran-3-yl)-15-oxo-4,7,10-trioxa-14-azahexadec-1-yl]-N3-[16-ethyl-22-(hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl)-15,18-dioxo-4,7,10-trioxa-14,17-diazadocos-1-yl]-5-isothiocyanato- (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 1-B




PAGE 1-C




RN 944251-15-4 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-[[[3-[18-(7-azido-4-methyl-2-oxo-2H-1-benzopyran-3-yl)-1,17-dioxo-6,9,12-trioxa-2,16-diazaoctadec-1-yl]-5-[18-ethyl-24-[(3aS,4S,6aR)-hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl]-1,17,20-trioxo-6,9,12-trioxa-2,16,19-triazatetracos-1-yl]phenyl]amino]thioxomethyl]amino]ethyl]- $\omega$ -(2-carboxyethoxy) - (CA INDEX NAME)


PAGE 1-A



PAGE 1-B





PAGE 1-C




RN 944251-16-5 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-[[[3-[18-(7-azido-4-methyl-2-oxo-2H-1-benzopyran-3-yl)-1,17-dioxo-6,9,12-trioxa-2,16-diazaoctadec-1-yl]-5-[18-ethyl-24-[(3aS,4S,6aR)-hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl]-1,17,20-trioxo-6,9,12-trioxa-2,16,19-triazatetracos-1-yl]phenyl]amino]thioxomethyl]amino]ethyl]- $\omega$ -[3-oxo-3-(2,3,5,6-tetrafluorophenoxy)propoxy]- (CA INDEX NAME)


PAGE 1-A



PAGE 1-B





PAGE 1-C




- IT 944251-16-5DP, reaction products with PAMAM and cytotoxins  
 RL: IMF (Industrial manufacture); THU (Therapeutic use);  
 BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (precursor; conjugates of cytotoxic agents  
 and dendrimers chain-extended with linear polymers)
- RN 944251-16-5 HCAPLUS
- CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-[[[3-[18-(7-azido-4-methyl-2-oxo-2H-1-benzopyran-3-yl)-1,17-dioxo-6,9,12-trioxa-2,16-diazaoctadec-1-yl]-5-[18-ethyl-24-[(3aS,4S,6aR)-hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl]-1,17,20-trioxo-6,9,12-trioxa-2,16,19-triazatetracos-1-yl]phenyl]amino]thioxomethyl]amino]ethyl]- $\omega$ -[3-oxo-3-(2,3,5,6-tetrafluorophenoxy)propoxy]- (CA INDEX NAME)


PAGE 1-A



PAGE 1-B



PAGE 1-C




IT 944251-12-1

RL: RCT (Reactant); **RACT (Reactant or reagent)**  
 (precursor; conjugates of cytotoxic agents  
 and dendrimers chain-extended with linear polymers)

RN 944251-12-1 HCAPLUS

CN 2H-1-Benzopyran-3-acetic acid, 7-azido-4-methyl-2-oxo- (CA INDEX  
 NAME)



CC 63-6 (Pharmaceuticals)

ST cytotoxin conjugate linear polymer extended dendrimer  
 prodrug; polyoxyethylene extended PAMAM dendrimer biotin adduct  
 prepn

- IT Ribosome-inactivating proteins  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(PAP (pokeweed antiviral protein), reaction products, with dendrimers chain-extended with linear polymers; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Antitumor agents  
Human  
(**conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Polyoxyalkylenes, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(**conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Polyamines  
RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(dendrimers, reaction products, with and linear polymers and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Toxins  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(diphtheria, reaction products, with dendrimers chain-extended with linear polymers; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Macrolides  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(epothilones, reaction products, with dendrimers chain-extended with linear polymers; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Polyesters, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(lactic acid-based, reaction products, with dendrimers and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Peptides, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(metallo, reaction products, with dendrimers chain-extended with linear polymers; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Polyamides, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(poly(amino acids), reaction products, with dendrimers and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Polyamines  
RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(polyamide-, dendrimers, reaction products, with polyethylene glycol derivs. and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Dendrimers  
RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(polyamide-polyamines, reaction products, with polyethylene glycol derivs. and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT Polyamides, biological studies  
RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(polyamine-, dendrimers, reaction products, with polyethylene glycol derivs. and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT Dendrimers

RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(polyamines, reaction products, with and linear polymers and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT Drug delivery systems

(prodrugs; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT Peptides, biological studies

Polysaccharides, biological studies

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(reaction products, with dendrimers and cytotoxins; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT Abrins

Mycotoxins

Radionuclides, biological studies

Ribosome-inactivating proteins

Ricins

Toxins

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(reaction products, with dendrimers chain-extended with linear polymers; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT Toxins

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(tetanus, reaction products, with dendrimers chain-extended with linear polymers; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT 107-13-1D, 2-Propenenitrile, hydrogenated, Michael-addition dendrimers, reaction products with linear polymers and cytotoxins

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(Polypropylenimine; **conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT 55383-37-4DP, Desacetylvinblastine hydrazide, reaction products with PAMAM-polyethylene glycol derivative adducts 180288-69-1DP, Trastuzumab, reaction products with PAMAM-polyethylene glycol derivative adducts 944251-17-6DP, reaction products with PAMAM and cytotoxins 944251-20-1DP, reaction products with PAMAM-polyethylene glycol derivative adducts and cytotoxins 944251-22-3DP, reaction products with PAMAM and cytotoxins 944251-25-6DP, reaction products with PAMAM and cytotoxins 944251-29-0DP, reaction products with PAMAM-polyethylene glycol derivative adducts and cytotoxins

RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(**conjugates** of cytotoxic agents and dendrimers chain-extended with linear polymers)

## IT 50-07-7D, Mitomycin C, reaction products with dendrimers

chain-extended with linear polymers 50-18-0D, Cyclophosphamide, reaction products with dendrimers chain-extended with linear polymers 54-62-6D, Aminopterin, reaction products with dendrimers chain-extended with linear polymers 57-22-7D, Vincristine, reaction products with dendrimers chain-extended with linear polymers 59-05-2D, Methotrexate, reaction products with dendrimers chain-extended with linear polymers 64-86-8D, Colchicine, reaction products with dendrimers chain-extended with linear polymers

71-30-7D, Cytosine, reaction products with dendrimers chain-extended with linear polymers 148-82-3D, Melphalan, reaction products with dendrimers chain-extended with linear polymers 305-03-3D, Chlorambucil, reaction products with dendrimers chain-extended with linear polymers 512-64-1D, Echinomycin, reaction products with dendrimers chain-extended with linear polymers 518-28-5D, Podophyllotoxin, reaction products with dendrimers chain-extended with linear polymers 528-74-5D, Dichloromethotrexate, reaction products with dendrimers chain-extended with linear polymers 669-72-7D, Norbiotin, reaction products with dendrimers chain-extended with linear polymers 865-21-4D, Vinblastine, reaction products with dendrimers chain-extended with linear polymers 1401-16-7D, Rhodomycin, reaction products with dendrimers chain-extended with linear polymers 1402-38-6D, Actinomycin, reaction products with dendrimers chain-extended with linear polymers 1404-15-5D, Nogalamycin, reaction products with dendrimers chain-extended with linear polymers 1784-22-1D, Homobiotin, reaction products with dendrimers chain-extended with linear polymers 2410-93-7D, Methopterin, reaction products with dendrimers chain-extended with linear polymers 2998-57-4D, Estramustine, reaction products with dendrimers chain-extended with linear polymers 3352-69-0D, Desacetylvinblastine, reaction products with dendrimers chain-extended with linear polymers 3376-83-8D, Biotin sulfoxide, reaction products with dendrimers chain-extended with linear polymers 4055-39-4D, Mitomycin A, reaction products with dendrimers chain-extended with linear polymers 6377-18-0D, Chartreusin, reaction products with dendrimers chain-extended with linear polymers 7439-89-6D, Iron, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-02-0D, Nickel, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-06-4D, Platinum, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-43-9D, Cadmium, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-48-4D, Cobalt, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-50-8D, Copper, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-55-3D, Gallium, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-57-5D, Gold, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-62-2D, Vanadium, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7440-66-6D, Zinc, peptide derivs., reaction products with dendrimers chain-extended with linear polymers 7689-03-4D, Camptothecin, reaction products with dendrimers chain-extended with linear polymers 9002-89-5D, Polyvinyl alcohol, reaction products with dendrimers and cytotoxins 9003-11-6D, Ethylene oxide-propylene oxide copolymer, reaction products with dendrimers and cytotoxins 9003-39-8D, Polyvinylpyrrolidone, reaction products with dendrimers and cytotoxins 9004-54-0D, Dextran, reaction products with dendrimers and cytotoxins 12687-93-3D, Piericidin, reaction products with dendrimers chain-extended with linear polymers 15228-71-4D, reaction products with dendrimers chain-extended with linear polymers 15663-27-1D, Cisplatin, reaction products with dendrimers chain-extended with linear polymers 18378-89-7D, Mithramycin, reaction products with dendrimers chain-extended with linear polymers 20004-62-0D, Geliomycin, reaction products with dendrimers chain-extended with linear polymers 20830-81-3D, Daunorubicin, reaction products with



dendrimers chain-extended with linear polymers 22342-46-7D, Diaminobiotin, reaction products with dendrimers chain-extended with linear polymers 23214-92-8D, Doxorubicin, reaction products with dendrimers chain-extended with linear polymers 23360-92-1D, Leucosine, reaction products with dendrimers chain-extended with linear polymers 25191-15-5D, Polyphenylalanine, reaction products with dendrimers and cytotoxins 25248-59-3D, Polyphenylalanine, reaction products with dendrimers and cytotoxins 25322-68-3D, Polyethylene glycol, reaction products with dendrimers and cytotoxins 25322-69-4D, Polypropylene oxide, reaction products with dendrimers and cytotoxins 25619-78-7D, Polytyrosine, reaction products with dendrimers and cytotoxins 25667-16-7D, Polytyrosine, reaction products with dendrimers and cytotoxins 25718-94-9D, Polyglycine, reaction products with dendrimers and cytotoxins 25734-27-4D, Polyglycine, reaction products with dendrimers and cytotoxins 26009-03-0D, Polyglycolic acid, reaction products with dendrimers and cytotoxins 26023-30-3D, Poly[oxy(1-methyl-2-oxo-1,2-ethanediyl)], reaction products with dendrimers and cytotoxins 26100-51-6D, Polylactic acid, reaction products with dendrimers and cytotoxins 26124-68-5D, Polyglycolic acid, reaction products with dendrimers and cytotoxins 28399-50-0D, Rabelomycin, reaction products with dendrimers chain-extended with linear polymers 30562-34-6D, Geldanamycin, reaction products with dendrimers chain-extended with linear polymers 33069-62-4D, Taxol, reaction products with dendrimers chain-extended with linear polymers 35846-53-8D, Maytansine, reaction products with dendrimers chain-extended with linear polymers 37231-28-0D, Melittin, reaction products with dendrimers chain-extended with linear polymers 39472-31-6D, Carminomycin, reaction products with dendrimers chain-extended with linear polymers 40720-05-6D, Biotin sulfone, reaction products with dendrimers chain-extended with linear polymers 41575-94-4D, Carboplatin, reaction products with dendrimers chain-extended with linear polymers 50986-18-0D, Arabinoside, reaction products with dendrimers chain-extended with linear polymers 53123-88-9D, Rapamycin, reaction products with dendrimers chain-extended with linear polymers 57576-44-0D, Aclacinomycin A, reaction products with dendrimers chain-extended with linear polymers 62996-74-1D, Staurosporine, reaction products with dendrimers chain-extended with linear polymers 66584-72-3D, Ansamitocin P3, reaction products with dendrimers chain-extended with linear polymers 67995-68-0D, Tallysomycin, reaction products with dendrimers chain-extended with linear polymers 80790-68-7D, Morpholinodoxorubicin, reaction products with dendrimers chain-extended with linear polymers 82855-09-2D, Combretastatin, reaction products with dendrimers chain-extended with linear polymers 86639-52-3D, SN-38, reaction products with dendrimers chain-extended with linear polymers 87081-35-4D, Leptomycin B, reaction products with dendrimers chain-extended with linear polymers 88254-07-3D, reaction products with dendrimers chain-extended with linear polymers 88979-61-7D, Bafilomycin C1, reaction products with dendrimers chain-extended with linear polymers 90996-54-6D, Rhizoxin, reaction products with dendrimers chain-extended with linear polymers 99270-27-6D, Pluramycin, reaction products with dendrimers chain-extended with linear polymers 110417-88-4D, reaction products with dendrimers chain-extended with linear polymers 113440-58-7D, Calicheamicin, reaction products with dendrimers chain-extended with linear polymers 114977-28-5D, Taxotere, reaction products with dendrimers chain-extended with linear polymers 123948-87-8D, Topotecan, reaction products with dendrimers chain-extended with linear

- polymers 124325-94-6D, Duocarmycin B2, reaction products with dendrimers chain-extended with linear polymers 159776-69-9D, Cemadotin, reaction products with dendrimers chain-extended with linear polymers 160800-57-7D, Auristatin E, reaction products with dendrimers chain-extended with linear polymers 174545-76-7D, Eleutherobin, reaction products with dendrimers chain-extended with linear polymers 207225-51-2D, Alnumycin, reaction products with dendrimers chain-extended with linear polymers 474645-18-6, AEVB 474645-27-7D, Monomethyl auristatin E, reaction products with dendrimers chain-extended with linear polymers 681125-76-8D, Auristatin EB, reaction products with dendrimers chain-extended with linear polymers 681125-78-0D, Auristatin E-FP, reaction products with dendrimers chain-extended with linear polymers  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT 26937-01-9DP, PAMAM, reaction products with polyethylene glycol derivs. and cytotoxins  
 RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (dendritic; conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT 187848-68-6P, Polyethylene glycol 2-(tert-butoxycarbonylamino)ethyl 2-carboxylethyl ether 944251-09-6P 944251-11-0P 944251-13-2P 944251-14-3P 944251-15-4P 944251-16-5P 944251-17-6P, Polyethylene glycol 2-(tert-butoxycarbonylamino)ethyl 2-(2,3,4,6-tetrafluorophenoxy carbonyl)ethyl ether 944251-22-3P 944251-23-4P 944251-25-6P 944251-26-7P 944251-27-8P 944251-28-9P  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
 (precursor; conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT 23541-50-6DP, Daunorubicin hydrochloride, reaction products with PAMAM-polyethylene glycol derivative adducts 548777-19-1DP, reaction products with PAMAM-polyethylene glycol derivative adducts and cytotoxins 944251-16-5DP, reaction products with PAMAM and cytotoxins 944251-19-8DP, reaction products with PAMAM-polyethylene glycol derivative adducts and cytotoxins 944251-28-9DP, reaction products with PAMAM and cytotoxins  
 RL: IMF (Industrial manufacture); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (precursor; conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT 76-05-1, Trifluoroacetic acid, reactions 586-89-0, 4-Acetylbenzoic acid 24424-99-5, Bis(tert-butyl) dicarbonate 142685-25-4, 2,3,5,6-Tetrafluorophenyl trifluoroacetate 196936-04-6, Polyethylene glycol 2-aminoethyl 2-carboxyethyl ether 459134-74-8 944251-08-5 944251-12-1 944251-21-2 944251-24-5  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (precursor; conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers)
- IT 23109-05-9D,  $\alpha$ -Amanitin, reaction products with dendrimers chain-extended with linear polymers  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (reaction products, with dendrimers chain-extended with linear polymers; conjugates of cytotoxic agents and dendrimers chain-extended with linear polymers)

ACCESSION NUMBER: 2007:172145 HCAPLUS Full-text  
 DOCUMENT NUMBER: 146:423816  
 TITLE: Conjugation of Bioactive Ligands to  
 PEG-Grafted Chitosan at the Distal End of PEG  
 AUTHOR(S): Fernandez-Megia, Eduardo; Novoa-Carballal,  
 Ramon; Quinoa, Emilio; Riguera, Ricardo  
 CORPORATE SOURCE: Departamento de Quimica Organica, Facultad de  
 Quimica and Unidad de RMN de Biomoleculas  
 Asociada al CSIC, Universidad de Santiago de  
 Compostela, Santiago de Compostela, 15782, Spain  
 SOURCE: Biomacromolecules (2007), 8(3), 833-842  
 CODEN: BOMAF6; ISSN: 1525-7797  
 PUBLISHER: American Chemical Society  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB Graft copolymers of chitosan and PEG-CO<sub>2</sub>H incorporating biol. active mols. and tags (mannose, cholesterol, a coumarin dye, and biotin) at the distal end of poly(ethylene glycol) (PEG) were synthesized in excellent yields and nearly quant. mass recoveries. Exptl. conditions allowing the preparation of multifunctional graft copolymers incorporating simultaneously several of those active mols. and tags in controlled ratios are also presented. The required functionalized PEG-CO<sub>2</sub>H conjugates were prepared from a heterodifunctional PEG and the exptl. conditions established to ensure the purity of PEG end groups (1H and 13C NMR and matrix-assisted laser desorption/ionization mass spectrometry-time of flight (MALDI-TOF)) and the completion of each synthetic step.

IT 934265-48-2P 934265-51-7P

RL: SPN (Synthetic preparation); PREP  
 (Preparation)

(comprised of actual and assumed monomers;  
 conjugation of bioactive ligands to poly(ethylene  
 glycol)-grafted chitosan at the distal end of poly(ethylene  
 glycol))

RN 934265-48-2 HCAPLUS


CN Chitosan, hydrochloride, polymer with oxirane, 14-[7-(diethylamino)-  
 2-oxo-2H-1-benzopyran-3-yl]-3,14-dioxo-7,10-dioxa-4,13-diazatetradec-  
 1-yl ether, graft (CA INDEX NAME)

CM 1

CRN 934265-47-1

CMF C23 H33 N3 O7

PAGE 1-A



PAGE 1-B

—CH<sub>2</sub>—CH<sub>2</sub>—OH

CM 2

CRN 934265-41-5

CMF (C2 H4 O . Unspecified)x

CCI PMS

CM 3

CRN 70694-72-3

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

CM 4

CRN 75-21-8

CMF C2 H4 O



RN 934265-51-7 HCAPLUS

CN Chitosan, hydrochloride, polymer with oxirane, 14-[7-(diethylamino)-2-oxo-2H-1-benzopyran-3-yl]-3,14-dioxo-7,10-dioxa-4,13-diazatetradec-1-yl 18-[(3aS,4S,6aR)-hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl]-3,14-dioxo-7,10-dioxa-4,13-diazaoctadec-1-yl 3-[[2-[2-[2-(α-D-mannopyranosyloxy)ethoxy]ethoxy]ethyl]amino]-3-oxopropyl ether, graft (CA INDEX NAME)


CM 1

CRN 934265-49-3

CMF C19 H34 N4 O6 S

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B




CM 2


CRN 934265-47-1

CMF C23 H33 N3 O7

PAGE 1-A



PAGE 1-B




CM 3

CRN 934265-42-6

CMF C15 H29 N O10

Absolute stereochemistry.



CM 4

CRN 934265-41-5

CMF (C2 H4 O . Unspecified)x

CCI PMS

CM 5

CRN 70694-72-3

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*


CM 6

CRN 75-21-8

CMF C2 H4 O




IT 50995-74-9, 3-Carboxy-7-(diethylamino)coumarin  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (conjugation of bioactive ligands to poly(ethylene glycol)-grafted chitosan at the distal end of poly(ethylene glycol))  
 RN 50995-74-9 HCAPLUS  
 CN 2H-1-Benzopyran-3-carboxylic acid, 7-(diethylamino)-2-oxo- (CA INDEX NAME)



IT 934218-42-5P 934218-44-7P 934218-50-5P  
 934218-54-9P 934218-59-4P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (conjugation of bioactive ligands to poly(ethylene glycol)-grafted chitosan at the distal end of poly(ethylene glycol))  
 RN 934218-42-5 HCAPLUS  
 CN 5,8-Dioxa-2,11-diazadodecanoic acid, 12-[7-(diethylamino)-2-oxo-2H-1-benzopyran-3-yl]-12-oxo-, 1,1-dimethylethyl ester (CA INDEX NAME)

PAGE 1-A



PAGE 1-B


—OBu-t

RN 934218-44-7 HCAPLUS  
 CN 2H-1-Benzopyran-3-carboxamide, N-[2-[2-(2-aminoethoxy)ethoxy]ethyl]-7-(diethylamino)-2-oxo-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 934218-43-6


CMF C20 H29 N3 O5



CM 2

CRN 76-05-1


CMF C2 H F3 O2




RN 934218-50-5 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[14-[7-(diethylamino)-2-oxo-2H-1-benzopyran-3-yl]-3,14-dioxo-7,10-dioxo-4,13-diazatetradec-1-yl]-  
 $\omega$ -[2-[[[(9H-fluoren-9-ylmethoxy)carbonyl]amino]ethoxy]- (CA  
 INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 934218-54-9 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -(2-aminoethyl)- $\omega$ -[[14-[7-(diethylamino)-2-oxo-2H-1-benzopyran-3-yl]-3,14-dioxo-7,10-dioxo-4,13-diazatetradec-1-yl]oxy]- (CA INDEX NAME)

PAGE 1-A




PAGE 1-B



RN 934218-59-4 HCAPLUS


CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-[(4-carboxy-1-oxobutyl)amino]ethyl]- $\omega$ -[[14-[7-(diethylamino)-2-oxo-2H-1-benzopyran-3-yl]-3,14-dioxo-7,10-dioxo-4,13-diazatetradec-1-yl]oxy]- (CA INDEX NAME)

PAGE 1-A





PAGE 1-B



CC 44-5 (Industrial Carbohydrates)

Section cross-reference(s): 35

IT Polyoxyalkylenes, preparation

RL: SPN (Synthetic preparation); PREP (Preparation)

(graft polymers, chitosan; conjugation of bioactive ligands to poly(ethylene glycol)-grafted chitosan at the distal end of poly(ethylene glycol))

IT 934265-43-7P 934265-45-9P 934265-48-2P 934265-50-6P

934265-51-7P 934265-52-8P

RL: SPN (Synthetic preparation); PREP (Preparation)

(comprised of actual and assumed monomers; conjugation of bioactive ligands to poly(ethylene glycol)-grafted chitosan at the distal end of poly(ethylene glycol))

IT 58-85-5, Biotin 108-55-4, Glutaric anhydride 7144-08-3

7296-15-3,  $\alpha$ -D-Mannose 50995-74-9,

3-Carboxy-7-(diethylamino)coumarin 125220-94-2 153086-78-3

153252-68-7 488085-18-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(conjugation of bioactive ligands to poly(ethylene glycol)-grafted chitosan at the distal end of poly(ethylene glycol))

IT 175885-18-4P 194920-57-5P 871245-17-9P 934218-42-5P

934218-44-7P 934218-45-8P 934218-46-9P 934218-47-0P

934218-48-1P 934218-49-2P 934218-50-5P 934218-51-6P

934218-52-7P 934218-53-8P 934218-54-9P 934218-55-0P

934218-56-1P 934218-57-2P 934218-58-3P 934218-59-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP

(Preparation); RACT (Reactant or reagent)

(conjugation of bioactive ligands to poly(ethylene glycol)-grafted chitosan at the distal end of poly(ethylene glycol))

REFERENCE COUNT: 43 THERE ARE 43 CITED REFERENCES AVAILABLE  
FOR THIS RECORD. ALL CITATIONS AVAILABLE  
IN THE RE FORMAT

L22 ANSWER 3 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:365174 HCAPLUS Full-text

DOCUMENT NUMBER: 144:398344

TITLE: Method of insertion of a lipid-linked moiety  
into a pre-formed lipid assembly using  
microwaves

INVENTOR(S): Barenholz, Yechezkel; Garbuzenko, Olga

PATENT ASSIGNEE(S): Alza Corp., USA

SOURCE: PCT Int. Appl., 41 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
WO 2006042270	A1	20060420	WO 2005-US36646	200510 07
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
AU 2005295072	A1	20060420	AU 2005-295072	200510 07
CA 2582242	A1	20060420	CA 2005-2582242	200510 07
US 2006121105	A1	20060608	US 2005-246340	200510 07
EP 1809246	A1	20070725	EP 2005-807394	200510 07
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU				
PRIORITY APPLN. INFO.:			US 2004-617505P	P 200410 08
			WO 2005-US36646	W 200510 07

AB A method of inserting a lipid-linked moiety into a lipid assembly, such as a planar lipid monolayer or bilayer, a spherical lipid vesicle, a micelle, or an emulsion envelope monolayer is described. In the method, the lipid assembly and the lipid-linked moiety are contacted in the presence of microwave irradiation to permit the lipid-linked moiety to become associated with the lipid assembly. In one embodiment, the lipid assembly is a liposome and the lipid-linked moiety is a lipopolymer. Compns. comprised of a lipid layer and of a lipid-linked moiety, prepared in accord with the method, are also described. For example, liposomes were prepared from partially hydrogenated soy phosphatidylcholine, cholesterol, and methoxy(polyethylene glycol)-distearoylphosphatidylethanolamine (mPEG-DSPE) (55:40:5 molar ratio) by lipid film hydration, followed by membrane extrusion. Multilamellar liposomes were formed by vigorous shaking of the lipid film in an aqueous solution of ammonium sulfate and deferoxamine. Liposomes were subsequently extruded stepwise through polycarbonate membranes with gradually decreasing pore sizes from 0.2 to 0.05  $\mu\text{m}$  to give vesicles having a particle size of 70 to 100 nm. A suspension of lipid-polymer-ligand conjugate micelles comprising a single chain Fv antibody fragment having binding affinity for c-erbB-2 receptor

epitope and a reactive PEG-DSPE conjugate (DSPE-PEG-scFv) were mixed with preformed liposomes and incubated in the presence of microwave irradiation for 30 s to 10 min.

IT 883224-87-1P

RL: SPN (Synthetic preparation); THU (Therapeutic use);


BIOL (Biological study); PREP (Preparation); USES (Uses)

(insertion of lipopolymer into pre-formed lipid assembly using microwaves)


RN 883224-87-1 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(10R)-7-[[3-[[[(7-hydroxy-2-oxo-2H-1-benzopyran-4-yl)acetyl]amino]propyl]amino]-7-oxido-13-oxo-10-[(1-oxooctadecyl)oxy]-6,8,12-trioxa-3-aza-7-phosphatriciacont-1-yl]- $\omega$ -methoxy- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CC 63-6 (Pharmaceuticals)

IT Receptors

RL: BSU (Biological study, unclassified); BIOL (Biological study) (cell surface, antibody affinity for, lipid conjugates; insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT Ligands

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (conjugated, with lipopolymer; insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT Lipids, biological studies

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (conjugates, with biol. ligands, drugs, and polymers; insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT Antibodies and Immunoglobulins

Nucleic acids

Peptides, biological studies

Proteins

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (conjugates, with lipids; insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT Antibodies and Immunoglobulins  
 RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (fragments, single chain Fv, conjugates with DSPE-PEG-maleimide; insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT Peptidomimetics  
 (lipid conjugates; insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT 612071-97-3DP, conjugates with single chain Fv antibody fragment 883224-87-1P  
 RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (insertion of lipopolymer into pre-formed lipid assembly using microwaves)

IT 57-88-5, Cholesterol, biological studies 70-51-9, Deferoxamine 7783-20-2, Ammonium sulfate, biological studies 23214-92-8, Doxorubicin 25322-68-3D, Polyethylene glycol, lipid conjugates 182280-69-9, MPEG-DSPE  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (insertion of lipopolymer into pre-formed lipid assembly using microwaves)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT.

L22 ANSWER 4 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2006:340585 HCAPLUS Full-text  
 DOCUMENT NUMBER: 144:376499  
 TITLE: Lipopolymer conjugates used in drug delivery systems  
 INVENTOR(S): Zalipsky, Samuel  
 PATENT ASSIGNEE(S): USA  
 SOURCE: U.S. Pat. Appl. Publ., 12 pp.  
 CODEN: USXXCO  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2006079486	A1	20060413	US 2005-245673	20051007
AU 2005295071	A1	20060420	AU 2005-295071	20051007
CA 2582589	A1	20060420	CA 2005-2582589	20051007
WO 2006042269	A2	20060420	WO 2005-US36645	20051007
WO 2006042269	A3	20060622		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK,

MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO,  
 RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ,  
 UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW  
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,  
 IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR,  
 BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,  
 TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,  
 ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM  
 EP 1809333 A2 20070725 EP 2005-807418

200510  
 07

R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,  
 IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK,  
 TR, AL, BA, HR, MK, YU

PRIORITY APPLN. INFO.:

US 2004-617585P

P

200410  
 08

WO 2005-US36645

W

200510  
 07

OTHER SOURCE(S): CASREACT 144:376499; MARPAT 144:376499

AB Conjugates of formula (ALOP(O)(Z)OL'B) are useful in biomedical applications such as delivery of drugs or labeling moieties or as components of liposomes or micelles. In formula (ALOP(O)(Z)OL'B), A is a hydrophilic polymer, each of L and L' is independently a linker group, B is a lipid moiety; and Z is a diagnostic ligand, a biol. relevant ligand, or a reactive linking moiety, which is generally linked to the phosphorus atom of the conjugate via a nitrogen, oxygen or sulfur atom in Z. For example, oral pharmaceuticals contained mPEG-DSPE conjugate with 7-hydroxycoumarin.


IT 882403-08-9P

RL: SPN (Synthetic preparation); THU (Therapeutic use);  
 BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (oral pharmaceuticals containing lipopolymer conjugates)

RN 882403-08-9 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(9R)-6-[[3-[[[7-hydroxy-2-oxo-2H-1-benzopyran-4-yl]acetyl]amino]propyl]amino]-6-oxido-1,12-dioxo-9-[(1-oxooctadecyl)oxy]-5,7,11-trioxa-2-aza-6-phosphanonacos-1-yl]- $\omega$ -methoxy- (9CI) (CA INDEX NAME)

PAGE 1-A



CC 63-6 (Pharmaceuticals)

ST lipopolymer conjugate drug delivery system prepn; mPEG

DSPE hydroxycoumarin conjugate oral pharmaceutical

IT Drug delivery systems

```

(oral; oral pharmaceuticals containing lipopolymer conjugates
)

```

IT 2387-23-7P

RL: BYP (Byproduct); REM (Removal or disposal); PREP (Preparation);  
PROC (Process)

(oral pharmaceuticals containing lipopolymer conjugates)

IT	9001-63-2, Lysozyme	15231-41-1	75178-96-0	156543-00-9
	185102-64-1			

RL: RCT (Reactant); RACT (Reactant or reagent)

(oral pharmaceuticals containing lipopolymer conjugates)

IT	882403-07-8P	882403-09-0P	882403-10-3P	907197-14-2P
----	--------------	--------------	--------------	--------------

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(oral pharmaceuticals containing lipopolymer conjugates)

IT 79-37-8, Oxalyl chloride 121-44-8, Triethylamine, reactions  
538-75-0, Dicyclohexyl carbodiimide 6066-82-6

RL: RGT (Reagent); RACT (Reactant or reagent)

(oral pharmaceuticals containing lipopolymer conjugates)

IT 882403-08-9P 882403-09-0DP, protein conjugate  
derivs.

RL: SPN (Synthetic preparation); THU (Therapeutic use);

BIOL (Biological study); PREP (Preparation); USES (Uses)

(oral pharmaceuticals containing lipopolymer conjugates)

L22 ANSWER 5 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:300298 HCAPLUS Full-text

DOCUMENT NUMBER: 145:511178

TITLE: Two-photon triggered drug delivery system: a new way to prevent posterior capsule opacification

AUTHOR(S) : Kim, H.-C.; Haertner, S.; Hampp, N.

CORPORATE SOURCE: Department of Chemistry, Univ. of Marburg,  
Marburg, D-35032, Germany

SOURCE: Proceedings of SPIE-The International Society  
for Optical Engineering (2006), 6138(Ophthalmic  
Technologies XVI), 61380S/1-61380S/8

CODEN: PSISDG; ISSN: 0277-786X

PUBLISHER: SPIE-The International Society for Optical Engineering

DOCUMENT TYPE: Journal

LANGUAGE: English

AB One of the major complications of cataract surgery is posterior capsule opacification caused by proliferation and migration of residual lens epithelial cells into the visual axis. In this study we present a novel approach to treat posterior capsule opacification in a non-invasive manner. A polymer-drug conjugate has been developed which is suitable for manufacturing functional intraocular lenses equipped with a drug delivery system. The

therapeutic mols., 5-fluorouracil, were attached through a photolabile linkage to the acrylic polymer backbone of the intraocular lens material. The controlled release of 5-fluorouracil is accomplished by two-photon induced cleavage of the linkage which is stable in ordinary conditions. The properties of the therapeutic system are characterized and the function is demonstrated in in vitro tests. The utilization of two-photon-absorption processes in drug delivery may provide a powerful tool to prevent posterior capsule opacification.

IT 915107-89-0P

RL: PRP (Properties); SPN (Synthetic preparation);  
PREP (Preparation)

(two-photon triggered drug delivery system-new way to prevent posterior capsule opacification)


RN 915107-89-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, butyl ester, polymer with  
2-oxo-2H-1-benzopyran-7-yl 2-methyl-2-propenoate (9CI) (CA INDEX  
NAME)

CM 1

CRN 64498-59-5


CMF C13 H10 O4



CM 2

CRN 97-88-1

CMF C8 H14 O2



IT 915107-89-0DP, reaction products with 1-heptanoyl-5-fluorouracil

RL: PRP (Properties); SPN (Synthetic preparation); THU  
(Therapeutic use); BIOL (Biological study); PREP  
(Preparation); USES (Uses)

(two-photon triggered drug delivery system-new way to prevent posterior capsule opacification)


RN 915107-89-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, butyl ester, polymer with  
2-oxo-2H-1-benzopyran-7-yl 2-methyl-2-propenoate (9CI) (CA INDEX  
NAME)

CM 1

CRN 64498-59-5


CMF C13 H10 O4



CM 2

CRN 97-88-1

CMF C8 H14 O2



CC 63-7 (Pharmaceuticals)

ST posterior capsule opacification drug delivery system two photon absorption; fluorouracil intraocular lens acrylic polymer drug conjugate

IT 915107-89-0P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

(two-photon triggered drug delivery system-new way to prevent posterior capsule opacification)

IT 915107-89-0DP, reaction products with 1-heptanoyl-5-fluorouracil

RL: PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(two-photon triggered drug delivery system-new way to prevent posterior capsule opacification)

IT 51-21-8DP, 5-Fluorouracil, polymer conjugates

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(two-photon triggered drug delivery system-new way to prevent posterior capsule opacification)

REFERENCE COUNT: 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L22 ANSWER 6 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1178245 HCAPLUS Full-text

DOCUMENT NUMBER: 144:114130

TITLE: An approach to heterobifunctional poly(ethyleneglycol) bioconjugates

AUTHOR(S): Li, Jane; Crasto, Curtis F.; Weinberg, James S.; Amiji, Mansoor; Shenoy, Dinesh; Sridhar, Srinivas; Buble, Glenn J.; Jones, Graham B.

CORPORATE SOURCE: Bioorganic and Medicinal Chemistry Laboratories, Department of Chemistry and Chemical Biology, Northeastern University, Boston, MA, 02115, USA

SOURCE: Bioorganic &amp; Medicinal Chemistry Letters (2005), 15(24), 5558-5561



PUBLISHER: Elsevier B.V.  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 OTHER SOURCE(S): CASREACT 144:114130


AB A family of differentially substituted poly(ethyleneglycol) building blocks has been assembled from com. available material. Their utility is demonstrated by formation of amino acid conjugates, image contrast agents, gold nanoparticles, and functional antibody conjugates. Application in the cellular trafficking of antitumoral agent conjugates is expected.

IT 853684-75-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (heterobifunctional poly(ethyleneglycol) bioconjugates)

RN 853684-75-0 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[[[4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]carbonyl]- $\omega$ -(2-mercaptoethoxy)- (9CI) (CA INDEX NAME)




IT 853684-75-0DP, nanoparticle conjugate derivs.

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (heterobifunctional poly(ethyleneglycol) bioconjugates)

RN 853684-75-0 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[[[4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]carbonyl]- $\omega$ -(2-mercaptoethoxy)- (9CI) (CA INDEX NAME)



CC 63-6 (Pharmaceuticals)

Section cross-reference(s): 37

IT Antibodies and Immunoglobulins

RL: BSU (Biological study, unclassified); BIOL (Biological study)  
 (IgG, conjugates; heterobifunctional poly(ethyleneglycol) bioconjugates)

IT 35164-96-6P, Polyethylene glycol ditosylate 165729-83-9P  
 853684-75-0P 872629-08-8P 872629-09-9P 872629-10-2P  
 872629-11-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP

(Preparation); RACT (Reactant or reagent)  
 (heterobifunctional poly(ethyleneglycol) bioconjugates)  
 IT 872629-09-9DP, goat antibody/fluorescein conjugate derivs.  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (heterobifunctional poly(ethyleneglycol) bioconjugates)  
 IT 853684-75-ODP, nanoparticle conjugate derivs.  
 RL: SPN (Synthetic preparation); THU (Therapeutic use);  
 BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (heterobifunctional poly(ethyleneglycol) bioconjugates)  
 REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE  
 FOR THIS RECORD. ALL CITATIONS AVAILABLE  
 IN THE RE FORMAT

L22 ANSWER 7 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2005:493815 HCAPLUS Full-text  
 DOCUMENT NUMBER: 143:27058  
 TITLE: Conjugated polymers having  
 coumarin-type groups  
 INVENTOR(S): Parham, Amir; Heun, Susanne; Becker, Heinrich  
 PATENT ASSIGNEE(S): Covion Organic Semiconductors G.m.b.H., Germany;  
 Falcou, Aurelie  
 SOURCE: PCT Int. Appl., 32 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053054	A1	20050609	WO 2004-EP13313	20041124
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10355786	A1	20050630	DE 2003-10355786	20031126
EP 1709699	A1	20061011	EP 2004-819213	20041124
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
US 2007123690	A1	20070531	US 2006-580293	20060523

PRIORITY APPLN. INFO.: DE 2003-10355786 A  
 20031126

WO 2004-EP13313

W

200411

24

AB The invention relates to conjugated polymers containing side or main chains having coumarin structural units or related units having S or Se instead of O in the ring and/or attached to the ring. The inventive materials exhibit significantly higher photostability and are thus more suitable for using in polymer organic light-emitting diodes. A typical polymer was prepared from 7-[N,N-bis(4-bromophenyl)amino]-4-methylcoumarin.

IT 852994-53-7P 852994-54-8P

RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(conjugated polymers having coumarin-type groups for improved photostability)


RN 852994-53-7 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-[bis(4-bromophenyl)amino]-4-methyl-, polymer with N,N'-bis(4-bromophenyl)-N,N'-bis[4-(1,1-dimethylethyl)phenyl][1,1'-biphenyl]-4,4'-diamine, 2',7'-dibromo-2,3,6,7-tetrakis(2-methylbutoxy)-9,9'-spirobi[9H-fluorene] and 2,2'-[2',3',6',7'-tetrakis(2-methylbutoxy)-9,9'-spirobi[9H-fluorene]-2,7-diyl]bis[1,3,2-dioxaborolane] (9CI) (CA INDEX NAME)

CM 1

CRN 852994-52-6


CMF C22 H15 Br2 N O2



CM 2

CRN 463944-36-7


CMF C44 H42 Br2 N2



CM 3

CRN 396123-43-6


CMF C49 H62 B2 O8



CM 4

CRN 395059-23-1

CMF C45 H54 Br2 O4




RN 852994-54-8 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-[bis(4-bromophenyl)amino]-4-methyl-, polymer with 2',7'-dibromo-2,3,6,7-tetrakis(2-methylbutoxy)-9,9'-spirobi[9H-fluorene] and 2,2'-[2',3',6',7'-tetrakis(2-methylbutoxy)-9,9'-spirobi[9H-fluorene]-2,7-diyl]bis[1,3,2-dioxaborolane] (9CI) (CA INDEX NAME)

CM 1

CRN 852994-52-6


CMF C22 H15 Br2 N O2



CM 2

CRN 396123-43-6


CMF C49 H62 B2 O8




CM 3

CRN 395059-23-1


CMF C45 H54 Br2 O4




IT 318497-39-1P, 7-(Diphenylamino)-4-methylcoumarin  
 852994-51-5P, 7-[Bis(4-bromophenyl)amino]-3-bromo-4-methylcoumarin  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
 (monomer precursor; conjugated polymers having coumarin-type groups for improved photostability)  
 RN 318497-39-1 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-(diphenylamino)-4-methyl- (CA INDEX NAME)



RN 852994-51-5 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-[bis(4-bromophenyl)amino]-3-bromo-4-methyl- (CA INDEX NAME)



IT 852994-52-6P, 7-[Bis(4-bromophenyl)amino]-4-methylcoumarin  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP  
 (Preparation); RACT (Reactant or reagent)  
 (monomer; conjugated polymers having  
 coumarin-type groups for improved photostability)  
 RN 852994-52-6 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-[bis(4-bromophenyl)amino]-4-methyl- (CA  
 INDEX NAME)



IC ICM H01L051-30  
 ICS H05B033-14; C09K011-06  
 CC 35-5 (Chemistry of Synthetic High Polymers)  
 Section cross-reference(s): 76  
 ST light resistant coumarin group contg conjugated polymer;  
 light emitting diode coumarin group contg conjugated  
 polymer; sulfur analog coumarin group contg light resistant  
 conjugated polymer; selenium analog coumarin group contg  
 light resistant conjugated polymer  
 IT Polyamines  
 RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical  
 or engineered material use); PREP (Preparation); USES (Uses)  
 (cardo; conjugated polymers having coumarin-type groups  
 for improved photostability)  
 IT Light-resistant materials  
 (conjugated polymers having coumarin-type groups for  
 improved photostability)  
 IT Field effect transistors  
 (conjugated polymers having coumarin-type groups for  
 improved photostability for field-effect transistors)  
 IT Integrated circuits  
 (conjugated polymers having coumarin-type groups for  
 improved photostability for integrated circuits)  
 IT Semiconductor lasers  
 (conjugated polymers having coumarin-type groups for  
 improved photostability for laser diodes)  
 IT Electroluminescent devices  
 (conjugated polymers having coumarin-type groups for  
 improved photostability for light-emitting diodes)

IT Solar cells  
(conjugated polymers having coumarin-type groups for improved photostability for solar cells)

IT Thin film transistors  
(conjugated polymers having coumarin-type groups for improved photostability for thin-film transistors)

IT Polymers, preparation  
RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(conjugated; conjugated polymers having coumarin-type groups for improved photostability for laser diodes)

IT Luminescent substances  
(photo-; conjugated polymers having coumarin-type groups for improved photostability)

IT Cardo polymers  
RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(polyamines; conjugated polymers having coumarin-type groups for improved photostability)

IT 852994-53-7P 852994-54-8P  
RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(conjugated polymers having coumarin-type groups for improved photostability)

IT 57999-49-2P, 2-(3-Bromophenoxy)tetrahydropyran 107396-23-6P, 3-(Diphenylamino)phenol 318497-39-1P, 7-(Diphenylamino)-4-methylcoumarin 852994-50-4P, N,N-Diphenyl[3-(tetrahydropyran-2-yloxy)phenyl]amine 852994-51-5P, 7-[Bis(4-bromophenyl)amino]-3-bromo-4-methylcoumarin  
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
(monomer precursor; conjugated polymers having coumarin-type groups for improved photostability)

IT 110-87-2 122-39-4, Diphenylamine, reactions 141-97-9, Ethyl acetoacetate 591-20-8, 3-Bromophenol  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(monomer precursor; conjugated polymers having coumarin-type groups for improved photostability)

IT 852994-52-6P, 7-[Bis(4-bromophenyl)amino]-4-methylcoumarin  
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
(monomer; conjugated polymers having coumarin-type groups for improved photostability)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L22 ANSWER 8 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:350720 HCAPLUS Full-text

DOCUMENT NUMBER: 143:44178

TITLE: Biomedical applications of gold nanoparticles functionalized using hetero-bifunctional poly(ethylene glycol) spacer

AUTHOR(S): Fu, Wei; Shenoy, Dinesh; Li, Jane; Crasto, Curtis; Jones, Graham; Dimarzio, Charles; Sridhar, Srinivas; Amiji, Mansoor

CORPORATE SOURCE: Department of Physics, Northeastern University, Boston, MA, 02115, USA

SOURCE: Materials Research Society Symposium Proceedings  
(2005), 845(Nanoscale Materials Science in  
Biology and Medicine), 223-228  
CODEN: MRSPDH; ISSN: 0272-9172

PUBLISHER: Materials Research Society

DOCUMENT TYPE: Journal

LANGUAGE: English

AB To increase the targeting potential, circulation time, and the flexibility of surface-attached biomedically-relevant ligands on gold nanoparticles, hetero-bifunctional poly(ethylene glycol) (PEG, MW 1,500) was synthesized having a thiol group on one terminus and a reactive functional group on the other. Coumarin, a model fluorescent dye, was conjugated to the PEG spacer and gold nanoparticles were modified with coumarin-PEG-thiol. Surface attachment of coumarin through the PEG spacer decreases the fluorescence quenching effect of gold nanoparticles. The results of cellular cytotoxicity and fluorescence confocal analyses showed that the PEG spacer modified nanoparticles were essentially non-toxic and could be efficiently internalized in the cells within one hour of incubation.


IT 853684-75-0P

RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(synthesis, cytotoxicity study, and fluorescence confocal microscopy of gold nanoparticles functionalized with thiol- and coumarin-terminated poly(ethylene glycol))

RN 853684-75-0 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[[[4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]carbonyl]- $\omega$ -(2-mercaptoethoxy)- (9CI) (CA INDEX NAME)



IT 853684-74-9P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis, cytotoxicity study, and fluorescence confocal microscopy of gold nanoparticles functionalized with thiol- and coumarin-terminated poly(ethylene glycol))

RN 853684-74-9 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[[[4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]carbonyl]- $\omega$ -[2-(acetylthio)ethoxy]- (9CI) (CA INDEX NAME)





CC 35-8 (Chemistry of Synthetic High Polymers)

Section cross-reference(s): 1, 9

IT 7440-57-5P, Gold, preparation 853684-75-0P

RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(synthesis, cytotoxicity study, and fluorescence confocal microscopy of gold nanoparticles functionalized with thiol- and coumarin-terminated poly(ethylene glycol))

IT 10387-40-3P, Potassium thioacetate 73342-22-0P, Polyethylene glycol monotosylate 853684-74-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis, cytotoxicity study, and fluorescence confocal microscopy of gold nanoparticles functionalized with thiol- and coumarin-terminated poly(ethylene glycol))

REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L22 ANSWER 9 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:217848 HCAPLUS Full-text

DOCUMENT NUMBER: 142:438322

TITLE: Synthesis of novel coumarin-terminated poly (p-phenylene vinylene)s for application in LEDs  
AUTHOR(S): Huang, Yan; Lu, Zhi-Yun; Peng, Qiang; Xie, Ru-Gang; Xie, Ming-Gui; Peng, Jun-Biao; Cao, Yong

CORPORATE SOURCE: Faculty of Chemistry, Sichuan University, Chengdu, 610064, Peop. Rep. China

SOURCE: Journal of Materials Science (2005), 40(3), 601-604  
CODEN: JMTSAS; ISSN: 0022-2461

PUBLISHER: Springer

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Novel coumarin-terminated poly (p-phenylene vinylene)s were synthesized successfully via Gilch methodol. The resulting coumarin end-capped poly(2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene vinylene) (CT-MEH-PPV) film gives yellow photoluminescence with a maximum intensity at 560 nm, which is noticeably blue-shifted about 40 nm from that of MEH-PPV (598 nm). Light-emitting diode based on a double-layer structure (ITO/PEDOT/CT-MEH-PPV/Ba/Al) showed yellow emission with a maximum brightness of 956 cd m<sup>-2</sup> at 8.8 V and an external quantum efficiency of 0.28% at 49.5 mA cm<sup>-2</sup>. The coumarin-terminated poly(2,3-diphenyl-5-hexyl-1,4-phenylene vinylene) (CT-DPH-PPV), however, has similar emission spectrum with that of DPH-PPV, but its photoluminescence efficiency (0.78) is much more improved than that of DPH-PPV (0.55). The electroluminescent device (ITO/PEDOT/CT-DPH-PPV/Ba/Al) gave green emission peaked at 510 nm with a maximum brightness of 350 cd m<sup>-2</sup> at 18 V and an external quantum efficiency of 0.04% at 61 mA cm<sup>-2</sup>. These results suggest

that it is a convenient way to modify the structure of conjugated polymers by terminating to tune the emission color and improve photoluminescent and electroluminescent efficiencies as well.

IT 850893-30-0P 850893-31-1P

RL: DEV (Device component use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(synthesis and properties of novel coumarin-terminated poly(phenylene vinylene)s for LEDs)


RN 850893-30-0 HCAPLUS

CN 2H-1-Benzopyran-2-one, 3-(2-benzothiazolyl)-6-(chloromethyl)-, polymer with 1,4-bis(chloromethyl)-2-methoxy-5-(octyloxy)benzene (9CI) (CA INDEX NAME)

CM 1

CRN 467237-89-4


CMF C17 H10 Cl N O2 S



CM 2

CRN 196877-73-3

CMF C17 H26 Cl2 O2




RN 850893-31-1 HCAPLUS

CN 2H-1-Benzopyran-2-one, 3-(2-benzothiazolyl)-6-(chloromethyl)-, polymer with 3',6'-bis(chloromethyl)-4'-octyl-1,1':2',1''-terphenyl (9CI) (CA INDEX NAME)

CM 1


CRN 467237-89-4

CMF C17 H10 Cl N O2 S



CM 2

CRN 200705-47-1  
CMF C28 H32 Cl2



CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

Section cross-reference(s): 36, 76

IT 850893-30-0P 850893-31-1P

RL: DEV (Device component use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(synthesis and properties of novel coumarin-terminated poly(phenylene vinylene)s for LEDs)

REFERENCE COUNT: 32 THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L22 ANSWER 10 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:1025974 HCAPLUS Full-text

DOCUMENT NUMBER: 142:360518

TITLE: Improvement of warfarin biopharmaceutics by conjugation with poly(ethylene glycol)

AUTHOR(S): Zacchigna, Marina; Di Luca, Gabriella; Cateni, Francesca; Maurich, Venerando

CORPORATE SOURCE: Dipartimento di Scienze Farmaceutiche, Trieste, 34127, Italy

SOURCE: European Journal of Pharmaceutical Sciences (2004), 23(4-5), 379-384

CODEN: EPSCED; ISSN: 0928-0987

PUBLISHER: Elsevier B.V.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB One of the most used and useful polymers, poly(ethylene glycol) (PEG) was used as a carrier for warfarin. The drug-polymer conjugate was freely water soluble at room temperature. The hydrolytic stability of the PEG-warfarin was investigated at physiol. pH and confirmed the stability of the conjugate. In vivo release studies demonstrated a good release of parent drug, without the initial high plasma level of warfarin.


IT 848927-28-6P

RL: PKT (Pharmacokinetics); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(improvement of warfarin biopharmaceutics by conjugation with poly(ethylene glycol))

RN 848927-28-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl),  $\alpha$ -[3-oxo-3-[[2-oxo-3-(3-oxo-1-phenylbutyl)-2H-1-benzopyran-4-yl]oxy]propyl]- $\omega$ -[3-oxo-3-[[2-oxo-3-(3-oxo-1-phenylbutyl)-2H-1-benzopyran-4-yl]oxy]propoxy] - (9CI)  
(CA INDEX NAME)



PAGE 1-B



- CC 63-5 (Pharmaceuticals)  
 ST polyethyleneglycol warfarin conjugation dissoln  
 pharmacokinetics  
 IT Drug delivery systems  
 (carriers; improvement of warfarin biopharmaceutics by  
 conjugation with poly(ethylene glycol))  
 IT Dissolution  
 (improvement of warfarin biopharmaceutics by conjugation  
 with poly(ethylene glycol))  
 IT Drug delivery systems  
 (prodrugs; improvement of warfarin biopharmaceutics by  
 conjugation with poly(ethylene glycol))  
 IT 848927-28-6P  
 RL: PKT (Pharmacokinetics); PRP (Properties); SPN (Synthetic  
 preparation); THU (Therapeutic use); BIOL (Biological study);  
 PREP (Preparation); USES (Uses)  
 (improvement of warfarin biopharmaceutics by conjugation  
 with poly(ethylene glycol))  
 IT 129-06-6, Warfarin sodium  
 RL: PKT (Pharmacokinetics); THU (Therapeutic use); BIOL (Biological  
 study); USES (Uses)  
 (improvement of warfarin biopharmaceutics by conjugation  
 with poly(ethylene glycol))  
 IT 81-81-2, Warfarin  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (improvement of warfarin biopharmaceutics by conjugation  
 with poly(ethylene glycol))  
 IT 37684-51-8P, Polyethyleneglycol disuccinate  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (improvement of warfarin biopharmaceutics by conjugation  
 with poly(ethylene glycol))  
 REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE  
 FOR THIS RECORD. ALL CITATIONS AVAILABLE  
 IN THE RE FORMAT

DOCUMENT NUMBER: 142:143246  
 TITLE: Novel photo-alignment polymer layer capable of charge transport  
 AUTHOR(S): Lee, Jaemin; Lee, Jeong-Ik; Sung, Shi-Joon; Chu, Hye Yong; Park, Jung-Ki; Shim, Hong-Ku  
 CORPORATE SOURCE: Department of Chemistry and School of Molecular Science (BK21), Center for Advanced Functional Polymers (CAFPoly), Korea Advanced Institute of Science and Technology (KAIST), Daejeon, 305-701, S. Korea  
 SOURCE: Macromolecular Chemistry and Physics (2004), 205(16), 2245-2251  
 CODEN: MCHPES; ISSN: 1022-1352  
 PUBLISHER: Wiley-VCH Verlag GmbH & Co. KGaA  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB With the progress of organic electronics, materials possessing various functionalities are attracting much attention. Here we have synthesized a novel photo-alignment polymer composed of a conjugated carbazole main-chain and a coumarin side-chain through nickel(0)-mediated polymerization. Carbazole is a well-known hole transporting material and coumarin is also famous for its good photo-alignment properties. The photochem. reactivity of the coumarin side-chain was monitored by UV-vis spectroscopy and the liquid crystal (LC) photo-alignment direction of the polymer film was proved to be perpendicular to the polarization direction of the irradiated UV light. The HOMO (HOMO) level of the polymer, measured from both cyclic voltammetry and photoelectron spectroscopy, was -5.32 eV. Organic light-emitting diodes (OLEDs) of the configuration [ITO/polymer/NPB/Alq3LiF/Al] showed a higher efficiency (2.17%) and brightness (14000 cd m<sup>-2</sup>) than a control device due to enhanced charge balance.

IT 827033-08-9P

RL: DEV (Device component use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(photo-alignment liquid crystal polymer layer capable of charge transport)


RN 827033-08-9 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-[[6-(3,6-dibromo-9H-carbazol-9-yl)hexyl]oxy]-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 827033-07-8

CMF C27 H23 Br2 N O3



CC 73-4 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

Section cross-reference(s): 36, 38, 74, 75, 76

IT 827033-08-9P

RL: DEV (Device component use); PRP (Properties); SPN  
(Synthetic preparation); PREP (Preparation); USES  
(Uses)

(photo-alignment liquid crystal polymer layer capable of charge  
transport)

REFERENCE COUNT: 28 THERE ARE 28 CITED REFERENCES AVAILABLE  
FOR THIS RECORD. ALL CITATIONS AVAILABLE  
IN THE RE FORMAT

L22 ANSWER 12 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:824149 HCAPLUS Full-text

DOCUMENT NUMBER: 141:340542

TITLE: Transparent highly heat-resistant polyimide  
precursor and photosensitive polyimide  
composition

INVENTOR(S): Kim, Dong-Seok; Ahn, Yong-Sik; Kim, Kyung-Jun;  
Yi, Mi-Hie

PATENT ASSIGNEE(S): LG Chem Ltd., S. Korea

SOURCE: PCT Int. Appl., 42 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004086146	A1	20041007	WO 2004-KR640	20040324
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
KR 2004083610	A	20041006	KR 2003-18127	20030324
CN 1764872	A	20060426	CN 2004-80008080	20040324
JP 2006521452	T	20060921	JP 2006-507769	20040324
US 2007093640	A1	20070426	US 2005-550591	20050923
PRIORITY APPLN. INFO.:			KR 2003-18127	A
				20030324
			WO 2004-KR640	W

200403

24

GI



I

AB The present invention relates to an aqueous alkali-developable photosensitive polyimide precursor resin composition that is appropriate for highly heat-resistant transparent protection layers and insulation layers for liquid crystal display devices. In more detail, the present invention relates to a neg.-type photosensitive transparent polyimide precursor resin composition manufactured in two steps. The first step is the manufacture of a transparent linear polyamic acid (A) from (a-1) one or more kinds of tetracarboxylic acid dianhydrides selected from alicyclic tetracarboxylic acid dianhydrides having 3-30 carbon atoms; and (a-2) one or more kinds of diamines selected from aliphatic, alicyclic, or non-conjugated aromatic diamines, having 3-30 carbon atoms, having one or more ethylenically unsatd. bonds at side chains as essential components; and the second step is the manufacture of reactive transparent polyimide precursors shown in the following chemical formula I (X = tetra-valent organic group derived from C3-30-alicyclic tetracarboxylic acid dianhydrides; Y = di-valent organic group derived from C3-30-aliphatic, alicyclic, or non-conjugated aromatic diamines; R1, R2 = H, or C1-20-organic groups), as according to the esterification reaction of the above polyamic acid (A) with ethylenically unsatd. compound (B) containing an epoxy group in the same mol. as the main component. The photosensitive transparent polyimide precursor resin compns. according to the present invention have a superior photosensitivity, and thus, may be used for transparent protection layers and insulation layers of liquid crystal display devices having superior heat resistance, chemical resistance, mech. strength, and electricity insulation.

IT 773114-30-0P

RL: PRP (Properties); SPN (Synthetic preparation); TEM  
(Technical or engineered material use); PREP (Preparation)  
; USES (Uses)

(transparent highly heat-resistant polyimide precursor and  
photosensitive polyimide composition)


RN 773114-30-0 HCAPLUS

CN Benzoic acid, 3,5-diamino-, 2-oxo-2H-1-benzopyranyl ester, polymer  
with tetrahydrocyclobuta[1,2-c:3,4-c']difurantetrone,  
2-hydroxy-3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl ester (9CI) (CA  
INDEX NAME)

CM 1

CRN 5919-74-4

CMF C7 H12 O4



CM 2

CRN 773114-29-7

CMF (C16 H12 N2 O4 . C8 H4 O6)x



CCI PMS

CM 3

CRN 773114-28-6

CMF C16 H12 N2 O4


CCI IDS



CM 4

CRN 4415-87-6

CMF C8 H4 O6



IC ICM G03F007-038

CC 74-13 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

Section cross-reference(s): 38

IT 771563-52-1P, 1,2,3,4-Cyclobutanetetracarboxylic acid dianhydride-2-(methacryloyloxy)ethyl 3,5-diaminobenzoate copolymer ester with glycidyl methacrylate 771563-55-4P 771563-56-5P 771563-59-8P 773114-30-0P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(transparent highly heat-resistant polyimide precursor and



photosensitive polyimide composition)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR  
THIS RECORD. ALL CITATIONS AVAILABLE IN  
THE RE FORMAT

L22 ANSWER 13 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:696708 HCAPLUS Full-text

DOCUMENT NUMBER: 142:393059

TITLE: Photo- and electroluminescent properties of  
methacrylates containing carbazole and coumarin  
pendant groups

AUTHOR(S): Bogdal, Dariusz; Stepien, Izabela; Sanetra,  
Jerzy

CORPORATE SOURCE: Department of Chemistry, Politechnika Krakowska,  
Krakow, 31-155, Pol.

SOURCE: Polish Journal of Chemical Technology (2003),  
5(3), 93-95

CODEN: PJCTAP; ISSN: 1509-8117

PUBLISHER: Technical University of Szczecin, Publishing  
House

DOCUMENT TYPE: Journal

LANGUAGE: English

AB **Conjugated polymer electroluminescence (EL) and photoluminescence (PL) is an integral part of optoelectronic science. It attracts more and more interest, which reflects in many applications such as LEDs, lighting, indicators, and displays. This kind of polymers is also used in liquid crystals and organic nonlinear optical materials, and some of them are expected to be small monochromatic passively addressed displays such as: mobile phones, and possibly backlights for liquid crystals displays. 2-(9-Carbazolyl)ethyl methacrylate (CEM) and 7-diethyl-aminocoumarin- 3-carboxylic acid 2-(methacryloyloxy)ethyl ester (MK) were synthesized and then copolymd. to give (99.5:0.5), (99:1), (98:2), and (92:8 mol/mol) CEM/MK copolymers. The phys. examns. for absorption and photo- and electroluminescence were conducted, and confirmed that these polymers should be used in opto-electronic industry.**


IT 298198-05-7

RL: PRP (Properties); RCT (Reactant); RACT (Reactant or  
reagent)

(monomer; photo and electroluminescent copolymers of  
methacrylates containing carbazole and coumarin pendant groups)

RN 298198-05-7 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(diethylamino)-2-oxo-,  
2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester (9CI) (CA INDEX NAME)



IT 298198-06-8P

RL: PRP (Properties); SPN (Synthetic preparation);

PREP (Preparation)

(photo and electroluminescent copolymers of methacrylates containing  
carbazole and coumarin pendant groups)


RN 298198-06-8 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(diethylamino)-2-oxo-,  
2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl ester, polymer with  
2-(9H-carbazol-9-yl)ethyl 2-methyl-2-propenoate (CA INDEX NAME)

CM 1

CRN 298198-05-7


CMF C20 H23 N O6



CM 2

CRN 15657-91-7

CMF C18 H17 N O2



CC 37-5 (Plastics Manufacture and Processing)

Section cross-reference(s): 35, 73, 76

IT 298198-05-7

RL: PRP (Properties); RCT (Reactant); RACT (Reactant or reagent)

(monomer; photo and electroluminescent copolymers of methacrylates containing carbazole and coumarin pendant groups)

IT 29692-07-7P 298198-06-8P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

(photo and electroluminescent copolymers of methacrylates containing carbazole and coumarin pendant groups)

REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE  
FOR THIS RECORD. ALL CITATIONS AVAILABLE  
IN THE RE FORMAT

L22 ANSWER 14 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:650822 HCAPLUS Full-text

DOCUMENT NUMBER: 132:28588

TITLE: Photoluminescent polymer films for display applications

AUTHOR(S): Palmans, Anja; Montali, Andrea; Weder, Christoph; Smith, Paul

CORPORATE SOURCE: Department of Materials, Institute of Polymers, ETH Zurich, Zurich, CH-8092, Switz.

SOURCE: Materials Research Society Symposium Proceedings (1999), 560 (Luminescent Materials), 265-270

CODEN: MRSPDH; ISSN: 0272-9172

PUBLISHER: Materials Research Society

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Novel poly(p-phenylene ethynylene) polymers, ANT-OPPE and COU-OPPE, have been prepared, in which anthracene and coumarin sensitizer mols. are covalently attached to the conjugated polymer backbone via a flexible spacer. These polymers show efficient energy transfer from the sensitizer mol. to the PPE backbone, both in dilute solution as well as in an oriented polyethylene matrix. In case of ANT-OPPE, we found that the PPE backbone adapts to the orientation of the matrix and is efficiently oriented, while the anthracene moiety remains essentially isotropic, resulting in a state-of-the-art polarizing energy transfer for this system.

IT 251991-28-3P 251991-29-4P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(photoluminescent polymer films for display applications)


RN 251991-28-3 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7,7'-[(2,5-diethynyl-1,4-phenylene)bis(oxy-8,1-octanedioxy)]bis[4-methyl-, polymer with 1,4-diiodo-2,5-bis(octyloxy)benzene (9CI) (CA INDEX NAME)

CM 1

CRN 251991-27-2


CMF C46 H50 O8



CM 2

CRN 145483-68-7


CMF C22 H36 I2 O2



RN 251991-29-4 HCAPLUS

CN Poly[[2,5-bis[[8-[(4-methyl-2-oxo-2H-1-benzopyran-7-yl)oxy]octyl]oxy]-1,4-phenylene]-1,2-ethynediyl[2,5-bis(octyloxy)-1,4-phenylene]-1,2-ethynediyl] (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B

CC 74-12 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)  
 Section cross-reference(s): 35, 38, 73  
 IT 251991-28-3P 251991-29-4P 251991-31-8P  
 251991-32-9P  
 RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
 (photoluminescent polymer films for display applications)  
 REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L22 ANSWER 15 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 1999:377087 HCAPLUS Full-text  
 DOCUMENT NUMBER: 131:170713  
 TITLE: Polarizing Energy Transfer in Photoluminescent Conjugated Polymers with Covalently Attached Sensitizers  
 AUTHOR(S): Palmans, Anja R. A.; Smith, Paul; Weder, Christoph  
 CORPORATE SOURCE: Department of Materials Institute of Polymers, ETH Zuerich, Zurich, CH-8092, Switz.  
 SOURCE: Macromolecules (1999), 32(14), 4677-4685  
 CODEN: MAMOBX; ISSN: 0024-9297  
 PUBLISHER: American Chemical Society  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB A class of poly(p-phenylene ethynylene) (PPE) polymers, COU-OPPE and ANT-OPPE, were prepared, in which coumarin- and anthracene-based sensitizer mols. are covalently linked to the conjugated polymer backbone via a flexible spacer.

In dilute solns. of these polymers, efficient resonance energy transfer is observed from the sensitizer moieties to the PPE backbone, resulting in enhanced luminescence of the PPE macromols. When incorporated as guests in oriented polyethylene films, the novel polymers, COU-OPPE and ANT-OPPE, show efficient energy transfer from the pendent sensitizer to the PPE backbone. Especially in the case of ANT-OPPE, the PPE backbone is efficiently oriented while the anthracene moiety remains essentially isotropic, which results in a high degree of polarizing energy transfer for this system. The properties of these conjugated polymers are suitable for use in light-emitting diodes (LED's).

IT 238421-16-4P 238421-19-7P

RL: PRP (Properties); SPN (Synthetic preparation);

PREP (Preparation)

(COU-OPPE; preparation of sensitizer-containing monomers and poly(phenyl-acetylene) photoluminescent conjugated polymers with enhanced polarizing energy transfer)


RN 238421-16-4 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7,7'-[(2,5-diiodo-1,4-phenylene)bis(oxy-6,1-hexanediyl)oxy]bis[4-methyl-, polymer with 1,4-diethynyl-2,5-bis(octyloxy)benzene (9CI) (CA INDEX NAME)

CM 1

CRN 238421-15-3


CMF C38 H40 I2 O8



CM 2

CRN 153033-27-3


CMF C26 H38 O2



RN 238421-19-7 HCAPLUS

CN Poly[[2,5-bis[[6-[(4-methyl-2-oxo-2H-1-benzopyran-7-yl)oxy]hexyl]oxy]-1,4-phenylene]-1,2-ethynediyl[2,5-bis(octyloxy)-1,4-phenylene]-1,2-ethynediyl] (9CI) (CA INDEX NAME)


PAGE 1-A




PAGE 1-B



IT 238421-15-3P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (intermediate and monomer; preparation of sensitizer-containing  
 monomers and poly(phenyl-acetylene) photoluminescent  
 conjugated polymers with enhanced polarizing energy  
 transfer)  
 RN 238421-15-3 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7,7'-[(2,5-diiodo-1,4-phenylene)bis(oxy-6,1-  
 hexanediyoxy)]bis[4-methyl- (9CI) (CA INDEX NAME)



IT 90-33-5, 7-Hydroxy-4-methylcoumarin  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (preparation of sensitizer-containing monomers and  
 poly(phenyl-acetylene) photoluminescent conjugated  
 polymers with enhanced polarizing energy transfer)  
 RN 90-33-5 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-hydroxy-4-methyl- (CA INDEX NAME)



- CC 35-7 (Chemistry of Synthetic High Polymers)  
Section cross-reference(s): 36, 74
- ST polyphenylene ethynylene coumarin sensitizer prepn  
photoluminescence; anthracene photosensitizer polyphenylene  
ethynylene polarizing energy transfer; polyacetylene polyphenylene  
conjugated polymer covalent photosensitizer
- IT Polymerization  
(Heck cross-coupling; preparation of sensitizer-containing  
monomers and poly(phenyl-acetylene) photoluminescent  
conjugated polymers with enhanced polarizing energy  
transfer)
- IT Cross-coupling reaction  
(Heck; preparation of sensitizer-containing monomers and  
poly(phenyl-acetylene) photoluminescent conjugated  
polymers with enhanced polarizing energy transfer)
- IT Polymers, preparation  
RL: PRP (Properties); SPN (Synthetic preparation); PREP  
(Preparation)  
(conjugated; preparation of sensitizer-containing  
monomers and poly(phenyl-acetylene) photoluminescent  
conjugated polymers with enhanced polarizing energy  
transfer)
- IT Polarized light  
(isotropic; preparation of sensitizer-containing monomers and  
poly(phenyl-acetylene) photoluminescent conjugated  
polymers with enhanced polarizing energy transfer)
- IT Polymer chains  
(orientation; preparation of sensitizer-containing monomers and  
poly(phenyl-acetylene) photoluminescent conjugated  
polymers with enhanced polarizing energy transfer)
- IT Photochemistry  
(photosensitizers; preparation of sensitizer-containing monomers  
and poly(phenyl-acetylene) photoluminescent conjugated  
polymers with enhanced polarizing energy transfer)
- IT Polyphenyls  
Polyphenyls  
RL: PRP (Properties); SPN (Synthetic preparation); PREP  
(Preparation)  
(polyacetylene-, coumarin and anthracene containing; preparation of  
sensitizer-containing monomers and poly(phenyl-acetylene)  
photoluminescent conjugated polymers with enhanced  
polarizing energy transfer)
- IT Polyacetylenes, preparation  
Polyacetylenes, preparation  
RL: PRP (Properties); SPN (Synthetic preparation); PREP  
(Preparation)  
(polyphenyl-, coumarin and anthracene containing; preparation of  
sensitizer-containing monomers and poly(phenyl-acetylene)  
photoluminescent conjugated polymers with enhanced  
polarizing energy transfer)
- IT Alkylation  
Luminescence

Optical absorption  
 Photoinduced energy transfer  
 Resonance energy  
     (preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT Polymer blends  
 RL: PRP (Properties)  
     (preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 238421-18-6P 238421-20-0P  
 RL: PRP (Properties); SPN (Synthetic preparation); PREP  
 (Preparation)  
     (ANT-OPPE; preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 238421-16-4P 238421-19-7P  
 RL: PRP (Properties); SPN (Synthetic preparation);  
 PREP (Preparation)  
     (COU-OPPE; preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 173428-83-6P 174592-87-1P  
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP  
 (Preparation)  
     (EHO-OPPE; preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 85389-89-5P  
 RL: PRP (Properties); SPN (Synthetic preparation); PREP  
 (Preparation)  
     (MOC; preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 71942-30-8P, Propyl 9-Anthracenecarboxylate  
 RL: PNU (Preparation, unclassified); PRP (Properties); PREP  
 (Preparation)  
     (PAC; preparation of sensitizer-containing monomers and  
     poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 14221-01-3, Tetrakis(triphenylphosphine)palladium  
 RL: CAT (Catalyst use); USES (Uses)  
     (coupling catalyst; preparation of sensitizer-containing monomers  
     and poly(phenyl-acetylene) photoluminescent conjugated  
     polymers with enhanced polarizing energy transfer)

IT 9002-88-4, Polyethylene  
 RL: NUU (Other use, unclassified); USES (Uses)  
     (host, polyacetylene-polyphenyl blends; preparation of  
     sensitizer-containing monomers and poly(phenyl-acetylene)  
     photoluminescent conjugated polymers with enhanced  
     polarizing energy transfer)

IT 238421-15-3P 238421-17-5P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
     (intermediate and monomer; preparation of sensitizer-containing  
     monomers and poly(phenyl-acetylene) photoluminescent  
     conjugated polymers with enhanced polarizing energy  
     transfer)

IT 238421-14-2P



RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(intermediate; preparation of sensitizer-containing monomers and  
 poly(phenyl-acetylene) photoluminescent conjugated  
 polymers with enhanced polarizing energy transfer)

IT 90-33-5, 7-Hydroxy-4-methylcoumarin 110-54-3, Hexane,  
 reactions 111-87-5, 1-Octanol, reactions 591-50-4, Iodobenzene  
 723-62-6, 9-Anthracenecarboxylic acid 1972-28-7,  
 Diethylazodicarboxylate 4286-55-9 13064-64-7,  
 1,4-Dihydroxy-2,5-diiodobenzene 153033-27-3, 1,4-Bis(ethynyl)-2,5-  
 di(octyloxy)benzene

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of sensitizer-containing monomers and  
 poly(phenyl-acetylene) photoluminescent conjugated  
 polymers with enhanced polarizing energy transfer)

REFERENCE COUNT: 33 THERE ARE 33 CITED REFERENCES AVAILABLE  
 FOR THIS RECORD. ALL CITATIONS AVAILABLE  
 IN THE RE FORMAT

L22 ANSWER 16 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1996:625928 HCAPLUS Full-text

DOCUMENT NUMBER: 125:248597

TITLE: Copolymers derived from 7-acryloyloxy-4-  
 methylcoumarin and acrylates: 1.  
 Copolymerizability and photocrosslinking  
 behaviors

AUTHOR(S): Chen, Yun; Geh, Juin Lyang

CORPORATE SOURCE: Dep. Chem. Eng., Natl. Cheng Kung Univ., Tainan,  
 701, Taiwan

SOURCE: Polymer (1996), 37(20), 4473-4480

CODEN: POLMAG; ISSN: 0032-3861

PUBLISHER: Elsevier

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Photoreactive copolymers containing 4-methylcoumarin pendant groups were  
 prepared by radical copolymerization of 7-acryloyloxy-4-methylcoumarin (M1) with  
 acrylates [M2 = Me methacrylate (MMA), Me acrylate (MA), Et acrylate (EA) and  
 Bu acrylate (BA)] in DMF at 65° using AIBN as initiator. The monomer  
 reactivity ratios (MRRs) of M1 and M2 were estimated by the Fineman-Ross and  
 Kelen-Tudos methods, by analyzing copolymer compositions which were determined by  
 1H NMR spectra. The MRRs are  $r_1 = 0.45$ ,  $r_2 = 1.68$  for M1-MMA;  $r_1 = 2.16$ ,  $r_2 =$   
 $0.48$  for M1-MA;  $r_1 = 2.04$ ,  $r_2 = 0.42$  for M1-EA; and  $r_1 = 1.82$ ,  $r_2 = 0.53$  for  
 M1-BA, resp. The order of monomer reactivity estimated from  $1/r_1$  values is  
 MMA > M1 > BA > EA > MA. The higher reactivity of MMA can be attributed to  
 its extra hyperconjugating stabilization by Me groups in addition to C=O  
 conjugation. 13C NMR spectra showed that  $\pi$ -electron density of the  $\beta$ -carbon is in  
 the order of MA > EA > BA > M1. The lower electron density of  $\beta$ -carbons in a  
 monomer leads to easier electron transfer from propagating radical to the  
 monomer and consequently a higher reactivity. Photocrosslinking (300 nm) of  
 the copolymers in the film state were investigated by their characteristic  
 curves (W/W0 vs. time plot).

IT 182320-77-0P 182320-78-1P 182320-79-2P  
 182320-80-5P

RL: PEP (Physical, engineering or chemical process); SPN  
 (Synthetic preparation); PREP (Preparation); PROC  
 (Process)

(preparation and photocrosslinking of acrylate-7-acryloyloxy-4-  
 methylcoumarin copolymers)

RN 182320-77-0 HCAPLUS


CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with

4-methyl-2-oxo-2H-1-benzopyran-7-yl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 35544-21-9


CMF C13 H10 O4



CM 2

CRN 80-62-6

CMF C5 H8 O2




RN 182320-78-1 HCAPLUS

CN 2-Propenoic acid, methyl ester, polymer with 4-methyl-2-oxo-2H-1-benzopyran-7-yl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 35544-21-9


CMF C13 H10 O4



CM 2

CRN 96-33-3

CMF C4 H6 O2




RN 182320-79-2 HCAPLUS  
CN 2-Propenoic acid, ethyl ester, polymer with 4-methyl-2-oxo-2H-1-benzopyran-7-yl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 35544-21-9


CMF C13 H10 O4



CM 2

CRN 140-88-5

CMF C5 H8 O2




RN 182320-80-5 HCAPLUS  
CN 2-Propenoic acid, butyl ester, polymer with 4-methyl-2-oxo-2H-1-benzopyran-7-yl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 35544-21-9


CMF C13 H10 O4




CM 2

CRN 141-32-2

CMF C7 H12 O2



IT 90-33-5, 7-Hydroxy-4-methylcoumarin  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (starting material; reactivity ratios in polymerization of  
 7-acryloyloxy-4-methylcoumarin with acrylates)  
 RN 90-33-5 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-hydroxy-4-methyl- (CA INDEX NAME)



CC 35-3 (Chemistry of Synthetic High Polymers)  
 Section cross-reference(s): 74  
 IT 182320-77-0P 182320-78-1P 182320-79-2P  
 182320-80-5P  
 RL: PEP (Physical, engineering or chemical process); SPN  
 (Synthetic preparation); PREP (Preparation); PROC  
 (Process)  
 (preparation and photocrosslinking of acrylate-7-acryloyloxy-4-  
 methylcoumarin copolymers)  
 IT 90-33-5, 7-Hydroxy-4-methylcoumarin  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (starting material; reactivity ratios in polymerization of  
 7-acryloyloxy-4-methylcoumarin with acrylates)

L22 ANSWER 17 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 1996:393829 HCAPLUS Full-text  
 DOCUMENT NUMBER: 125:25818  
 TITLE: Synthesis and immunotropic activity of  
 benzopyran-2-one derivatives  
 AUTHOR(S): Abyshev, A. Z.; Nezhinskaya, G. I.; Melikov, K.  
 Ch.  
 CORPORATE SOURCE: Inst. Vaktsin i Syvorotok, St. Petersburg,  
 Russia  
 SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1994),  
 28(11), 20-22  
 CODEN: KHFZAN; ISSN: 0023-1134  
 PUBLISHER: Meditsina  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Russian

AB Copolymers of the benzopyrane series (CP-I-V) have been demonstrated to show  
 different immunotropic activity in relation to the composition of comonomers,  
 structure, mol. mass, hydrophilic and hydrophobic properties. Thus, CP-I and  
 CP-V may be classified as thymus-independent antigens in the magnitude of  
 their action on murine immune responses. The higher hydrophilic capacity of a  
 CP-V mol. has an effect on B lymphocytes, resulting in a reduction of the  
 murine splenic count of the antibody-forming cells. The inclusion of  
 imidazole, benzimidazole and other heterocycles into the polymer chain makes  
 CP-II and CP-III close to thymus-dependent antigens, which appears as elevated  
 murine splenic levels of E-rosette-forming cells. That of a maleimide

fragment gives rise to conjugated compds. with various antigens. Immunization of rabbits with the conjugates yields antibodies with a titer of 1:25,000±521. The findings indicate that there are common features for all the compds. tested, namely: they have an intensifying effect on humoral immune responses, the presence of T lymphocytes with histamine receptors, enhanced T-suppressor activity of lymphocytes, the appearance of sufficient quantities of macrophageal immature forms.

IT 90818-61-4P 177851-19-3P 177851-20-6P  
177851-22-8P 177851-23-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(synthesis and immunotropic activity of benzopyranone derivs.)


RN 90818-61-4 HCAPLUS

CN 2-Pyrrolidinone, 1-ethenyl-, polymer with 7-(2-bromoethoxy)-2H-1-benzopyran-2-one (9CI) (CA INDEX NAME)

CM 1

CRN 90818-60-3


CMF C11 H9 Br O3



CM 2

CRN 88-12-0

CMF C6 H9 N O




RN 177851-19-3 HCAPLUS

CN 2-Pyrrolidinone, 1-ethenyl-, polymer with 7-[2-(1H-imidazol-1-yl)ethoxy]-2H-1-benzopyran-2-one (9CI) (CA INDEX NAME)

CM 1

CRN 177851-18-2


CMF C14 H12 N2 O3



CM 2

CRN 88-12-0

CMF C6 H9 N O




RN 177851-20-6 HCAPLUS

CN 2-Pyrrolidinone, 1-ethenyl-, polymer with 7-[2-(1H-benzimidazol-1-yl)ethoxy]-2H-1-benzopyran-2-one (9CI) (CA INDEX NAME)

CM 1

CRN 155272-62-1


CMF C18 H14 N2 O3



CM 2

CRN 88-12-0

CMF C6 H9 N O




RN 177851-22-8 HCAPLUS

CN 1H-Pyrrole-2,5-dione, 1-[2-[(2-oxo-2H-1-benzopyran-7-yl)oxy]ethyl]-, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 177851-21-7


CMF C15 H11 N O5



CM 2

CRN 88-12-0

CMF C6 H9 N O



RN 177851-23-9 HCAPLUS


CN 2-Pyrrolidinone, 1-ethenyl-, polymer with 6-( $\beta$ -D-glucopyranosyloxy)-7-hydroxy-2H-1-benzopyran-2-one (9CI) (CA INDEX NAME)

CM 1

CRN 531-75-9

CMF C15 H16 O9


Absolute stereochemistry.



CM 2

CRN 88-12-0

CMF C6 H9 N O



CC 1-7 (Pharmacology)

Section cross-reference(s): 27, 35

IT 91-64-5DP, 2H-1-Benzopyran-2-one, derivs. 90818-61-4P  
177851-19-3P 177851-20-6P 177851-22-8P  
177851-23-9P

RL: BAC (Biological activity or effector, except adverse); BSU  
(Biological study, unclassified); SPN (Synthetic  
preparation); BIOL (Biological study); PREP  
(Preparation)

(synthesis and immunotropic activity of benzopyranone derivs.)

L22 ANSWER 18 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1995:837227 HCAPLUS Full-text

DOCUMENT NUMBER: 124:169727

TITLE: Polymeric fluorescent dyes for labeling of  
proteins and nucleic acids

AUTHOR(S): Pitschke, M.; Fels, A.; Schmidt, B.; Heiliger,  
L.; Kuckert, E.; Riesner, D.

CORPORATE SOURCE: Institut Physikalische Biologie,  
Heinrich-Heine-Universitaet, Duesseldorf, 40255,  
Germany

SOURCE: Colloid and Polymer Science (1995), 273(8),  
740-52

CODEN: CPMSB6; ISSN: 0303-402X

PUBLISHER: Steinkopff

DOCUMENT TYPE: Journal

LANGUAGE: English

AB To increase the sensitivity of fluorescent labeling, a labeling technique with polymeric fluorescent dyes was established and tested for its applicability in biochem. and diagnostics. The fluorescent dye was based on the fluorophore coumarin and was covalently linked to the model proteins streptavidin and IgG. The dye was synthesized by radical polymerization of 3 different types of functional monomers to ensure water solubility, covalent coupling to proteins, and fluorescence. The mol. weight range was 20-200 kDa. Fractions of narrow mol. weight distribution were prepared by gel filtration on Superdex 200. The relationship between size and charge of the different fractions was analyzed by gel electrophoresis. Covalent conjugation to proteins was carried out by formation of a peptide bond between a carboxylic group of the functional monomers and an amino group of the protein mediated by 1-ethyl-3-(3-dimethylamino-propyl)-carbodiimide (EDC). A novel type of gel electrophoresis was developed to analyze and optimize the conjugation reaction; the results were in agreement with those from anal. ultracentrifugation with fluorescence detection. Hydrodynamic studies of the uncoupled dye and the protein-dye conjugates exhibited a drastic decrease of Stokes radius of the dye due to the coupling to the protein. Under optimum conditions the fluorescence intensity of a protein-polymeric dye conjugate was enhanced 40-fold compared to a monomeric dye. Biotin binding to the protein streptavidin was not affected by conjugation with the polymeric dye. At present, the applicability of the polymeric dye in biochem. and diagnostic reactions seems to be limited due to strong but nonspecific hydrophobic interactions that might be overcome by using fluorescein as monomeric dye.

IT 174002-22-3P

RL: ARG (Analytical reagent use); SPN (Synthetic  
preparation); ANST (Analytical study); PREP  
(Preparation); USES (Uses)

(polymeric fluorescent dyes for labeling of proteins and nucleic  
acids)

RN 174002-22-3 HCAPLUS

CN Benzenesulfonic acid, 4-ethenyl-, polymer with  $\alpha$ -(3-carboxy-1-oxopropyl)- $\omega$ -[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-




ethanediyl) and N-[3-[4-[[[3-(1-methylethenyl)phenyl]amino]carbonyl  
amino]phenyl]-2-oxo-2H-1-benzopyran-7-yl]benzenesulfonamide (9CI)  
(CA INDEX NAME)

CM 1

CRN 174002-21-2

CMF C31 H25 N3 O5 S




CM 2

CRN 85226-98-8

CMF (C2 H4 O)<sub>n</sub> C8 H10 O5


CCI PMS



CM 3

CRN 98-70-4

CMF C8 H8 O3 S




IT 174002-20-1

RL: RCT (Reactant); RACT (Reactant or reagent)


(polymeric fluorescent dyes for labeling of proteins and nucleic acids)

RN 174002-20-1 HCAPLUS

CN Benzenesulfonamide, N-[3-(4-aminophenyl)-2-oxo-2H-1-benzopyran-7-yl]-  
(CA INDEX NAME)



IT 174002-21-2P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
**RACT (Reactant or reagent)**  
 (polymeric fluorescent dyes for labeling of proteins and nucleic acids)  
 RN 174002-21-2 HCAPLUS  
 CN Benzenesulfonamide, N-[3-[4-[[[3-(1-methylethenyl)phenyl]amino]carbonyl]amino]phenyl]-2-oxo-2H-1-benzopyran-7-yl]- (CA INDEX NAME)



CC 9-5 (Biochemical Methods)  
 Section cross-reference(s): 3, 41  
 IT Immunoglobulins  
 RL: ARG (Analytical reagent use); NUU (Other use, unclassified); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)  
 (G, fluorescent dye conjugates; polymeric fluorescent dyes for labeling of proteins and nucleic acids)  
 IT 91-64-5P, Coumarin 9013-20-1DP, Streptavidin, fluorescent dye conjugates  
 RL: ARG (Analytical reagent use); NUU (Other use, unclassified); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)  
 (polymeric fluorescent dyes for labeling of proteins and nucleic acids)  
 IT 174002-22-3P  
 RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)  
 (polymeric fluorescent dyes for labeling of proteins and nucleic acids)  
 IT 98-70-4 2094-99-7 25736-86-1, Blemmer PE 350 174002-20-1  
 RL: RCT (Reactant); **RACT (Reactant or reagent)**  
 (polymeric fluorescent dyes for labeling of proteins and nucleic acids)  
 IT 85226-98-8P 174002-21-2P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); **RACT (Reactant or reagent)**  
 (polymeric fluorescent dyes for labeling of proteins and nucleic acids)

L22 ANSWER 19 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 1994:676195 HCAPLUS Full-text  
 DOCUMENT NUMBER: 121:276195  
 TITLE: Biologically active initiators for radical polymerization  
 INVENTOR(S): Heiliger; Ludger  
 PATENT ASSIGNEE(S): Bayer A.-G., Germany  
 SOURCE: Eur. Pat. Appl., 16 pp.  
 CODEN: EPXXDW

DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO. -----	KIND ----	DATE -----	APPLICATION NO. -----	DATE
EP 591809	A2	19940413	EP 1993-115566	199309 27
EP 591809	A3	19940803		
R: BE, CH, DE, DK, ES, FR, GB, IT, LI, NL, SE				
DE 4322885	A1	19940414	DE 1993-4322885	199307 09
JP 06234806	A	19940823	JP 1993-272939	199310 06
US 5534630	A	19960709	US 1994-320597	199410 07
PRIORITY APPLN. INFO.:			DE 1992-4234074	A 199210 09
			DE 1993-4322885	A 199307 09
			US 1993-130880	B1 199310 04

AB Biol. active initiators were prepared with the general structure A-L-B[L-A]<sub>y</sub> (where A = biol. active part; B = a radical-forming part; L = linker group; and y = 0 or 1, preferably 1). The biol. active part A may be, e.g., biotin, digitoxin, digoxin, digitoxigenin, digoxigenin, and oligonucleotides with 1-80 bases, especially 20-35 bases. The compds. are useful in radical polymerization and for hybridization assays. Thus, an initiator was prepared by reaction of the oligonucleotide ATCCAGTTGTGTCTTCAAC with 4,4'-azobis(4-cyanopentanoic acid hydroxysuccinimidyl ester). The initiator then was used in the preparation of a polymer from Na p-styrylsulfonate and coumarin dye that had an average mol. weight of 500,000 and could be used directly in hybridization tests for the detection of DNA or RNA with a nucleotide sequence complimentary to the oligonucleotide in the initiator.

IT 151137-49-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (preparation and conjugation with avidin or streptavidin)


RN 151137-49-4 HCAPLUS

CN Benzenesulfonic acid, 4-ethenyl-, sodium salt, polymer with  
 N-[4-[2-oxo-7-[(phenylsulfonyl)amino]-2H-1-benzopyran-3-yl]phenyl]-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 151110-17-7


CMF C24 H18 N2 O5 S



CM 2

CRN 2695-37-6

CMF C8 H8 O3 S . Na



● Na

IC ICM C07D519-00  
 ICS C07H021-00; C07D307-58; C08F004-04; C08F004-34  
 ICI C07D519-00, C07D495-00  
 CC 9-14 (Biochemical Methods)  
 Section cross-reference(s): 3, 35  
 IT 151137-49-4P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (preparation and conjugation with avidin or streptavidin)  
 IT 134469-94-6DP, oligonucleotide conjugates 158052-96-1P  
 158052-97-2P 158052-98-3DP, oligonucleotide conjugates  
 158052-99-4P 158053-00-0P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of, as biol. active initiator for radical polymerization)

L22 ANSWER 20 OF 20 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1990:36485 HCAPLUS Full-text

DOCUMENT NUMBER: 112:36485

TITLE: [2+2]Photocyclization and photoreversion in polymer chemistry

AUTHOR(S): Saigo, Kazuhiko

CORPORATE SOURCE: Fac. Eng., Univ. Tokyo, Tokyo, 113, Japan

SOURCE: Yuki Gosei Kagaku Kyokaishi (1989), 47(11), 1006-16

CODEN: YGKKAE; ISSN: 0037-9980

DOCUMENT TYPE: Journal; General Review

LANGUAGE: Japanese

AB A review with 54 refs. on solid-phase photochem. crosslinking reactions, solid-phase photopolymerization of conjugated diolefins, liquid-phase photochem. [2 + 2]-cycloaddition polymerization of diolefins, polymers containing photocyclodimers, and coumarin dimer-based polyamides.

IT 26762-76-5DP, Coumarin dimer, polymers with diamines

RL: PRP (Properties); SPN (Synthetic preparation);

**PREP (Preparation)**

(preparation and properties of)


RN 26762-76-5 HCAPLUS

CN 2H-1-Benzopyran-2-one, dimer (9CI) (CA INDEX NAME)

CM 1

CRN 91-64-5

CMF C9 H6 O2



CC 35-0 (Chemistry of Synthetic High Polymers)

IT Polymerization

(photochem., solid-state, of conjugated diolefins)

IT 26762-76-5DP, Coumarin dimer, polymers with diamines

RL: PRP (Properties); SPN (Synthetic preparation);

**PREP (Preparation)**

(preparation and properties of)

=&gt; d l24 ibib abs hitstr hitind 1-18

L24 ANSWER 1 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:658152 HCAPLUS Full-text

DOCUMENT NUMBER: 147:257677

TITLE: Shape-persistent macrocycles: a synthetic strategy that combines easy and site-specific decorations with improved cyclization efficiency

AUTHOR(S): Sakamoto, Junji; Schluter, A. Dieter

CORPORATE SOURCE: Department of Materials, Institute of Polymers, ETH Zurich, Zurich, 8093, Switz.

SOURCE: European Journal of Organic Chemistry (2007), (16), 2700-2712

CODEN: EJOCFK; ISSN: 1434-193X

PUBLISHER: Wiley-VCH Verlag GmbH &amp; Co. KGaA

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 147:257677

GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB A flexible route to shape-persistent macrocycles based 5,5'-diphenyl-2,2'-bipyridine moieties connected by 1,3-phenylenebis-ethynyl bridges and **conjugated** with coumarin dyes was devised; the synthetic route allows easy introduction of several different functional units at predetd. positions and the preparation of cycles as anal. pure materials in high isolated yields of 22-45% in the final cyclization process. Each step of the assembly process is based on high-yielding and robust Suzuki- and Sonogashira-type cross-coupling reactions. Coumarin-containing blocks **conjugated** with m-phenylene spacers, I and II, M1C6H3-3-C.tplbond.CR1-5-C.tplbond.CR2 and M2C6H3-3-C.tplbond.CR1-5-

C.tplbond.CR2, resp., (6, 7, R1 = H, R2 = TIPS) were prepared starting from 3,5-dibromobenzyl alc.; Sonogashira coupling of 6 and 7 with (5,5'-bis(3-hexyloxymethyl)-5-iodophenyl)-2,2'-bipyridine (8b) gave the macrocycle precursors (19, 21; shown as I, II, resp., a R2 = TIPS, b R2 = H; R1 = 1/2[5,5'-bis[(5-hexyloxymethyl)-1,3-phenylene]-2,2'-bipyridine]). Mixed precursors, containing both types of coumarin dyes (20, 22) were also prepared by stepwise Sonogashira coupling. Macrocyclization of the precursors 19-22 with 8b afforded the macrocyclic compds., M1,2C6H3-3,5-[C.tplbond.C-1,3-[5-X-C6H3]-5,5'-[2,2'-C5H3NC5H3N]-1,3-[5-X-C6H3]C.tplbond.C]2-3,5-C6H3M1,2 (1-3; X = C6H13OCH2). In the Sonogashira coupling, the best results were obtained in the absence of Cu(I) iodide and with relatively large amts. of a palladium catalyst precursor. The products of coupling and macrocyclization reactions were separated by preparative gel-permeation chromatog. that allows the separation of large amts. of compds. in a limited time.


IT 26078-25-1

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)

RN 26078-25-1 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-(ethylamino)-4,6-dimethyl- (CA INDEX NAME)



IT 945867-03-8P 945867-05-0P 945867-06-1P

945867-07-2P 945867-11-8P 945867-12-9P


945867-15-2P 945867-19-6P 945867-20-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)


RN 945867-03-8 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-[ethyl[[3-ethynyl-5-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]methyl]amino]-4,6-dimethyl- (CA INDEX NAME)




RN 945867-05-0 HCAPLUS


CN 2H-1-Benzopyran-2-one, 7-[[[(3,5-dibromophenyl)methyl]ethylamino]-4,6-dimethyl- (CA INDEX NAME)



CN 2H-1-Benzopyran-2-one, 7-[[[3-bromo-5-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]methyl]ethylamino]-4,6-dimethyl-  
(CA INDEX NAME)




CN 2H-1-Benzopyran-2-one, 7-[ethyl[[3-[2-(trimethylsilyl)ethynyl]-5-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]methyl]amino]-4,6-dimethyl-  
(CA INDEX NAME)




CN 2H-1-Benzopyran-2-one, 7-[ethyl[[3-[2-[3-[(hexyloxy)methyl]-5-[5'-[3-[(hexyloxy)methyl]-5-iodophenyl][2,2'-bipyridin]-5-yl]phenyl]ethynyl]-5-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]methylamino]-4,6-dimethyl- (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 945867-12-9 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7,7'-[[2,2'-bipyridine]-5,5'-diylbis[[5-[(hexyloxy)methyl]-3,1-phenylene]-2,1-ethynediyl[5-[2-[tris(1-methylethyl)silyl]ethynyl]-3,1-phenylene]methylene(ethylimino)]]bis[4,6-dimethyl- (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 945867-15-2 HCAPLUS

CN 1H,5H,11H-[1]Benzopyrano[6,7,8-ij]quinolizine-10-carboxylic acid, 2,3,6,7-tetrahydro-11-oxo-, [3-[2-[3-[5'-[3-[2-[3-[[(4,6-dimethyl-2-oxo-2H-1-benzopyran-7-yl)ethylamino]methyl]-5-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-5-[(hexyloxy)methyl]phenyl][2,2'-bipyridin]-5-yl]-5-[(hexyloxy)methyl]phenyl]ethynyl]-5-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]methyl ester (CA INDEX NAME)




$$\text{Me}-(\text{CH}_2)_5-$$


PAGE 1-B




RN	945867-19-6	HCAPLUS
CN	1H,5H,11H-[1]Benzopyrano[6,7,8-ij]quinolizine-10-carboxylic acid, 2,3,6,7-tetrahydro-11-oxo-, [3-[2-[3-[5'-[3-[2-[3-[[4,6-dimethyl-2-oxo-2H-1-benzopyran-7-yl)ethylamino)methyl]-5-ethynylphenyl]ethynyl]-5-[(hexyloxy)methyl]phenyl][2,2'-bipyridin]-5-yl]-5-[(hexyloxy)methyl]phenyl]ethynyl]-5-ethynylphenyl)methyl ester (CA INDEX NAME)	

PAGE 1 -A

$$\text{Me}-(\text{CH}_2)_5-$$



PAGE 1 - B




RN	945867-20-9	HCAPLUS
CN	2H-1-Benzopyran-2-one, 7,7'-[[2,2'-bipyridine]-5,5'-diylbis[[5-(hexyloxy)methyl]-3,1-phenylene]-2,1-ethynediyl(5-ethynyl-3,1-phenylene)methylene(ethylimino)]]bis[4,6-dimethyl-	

(CA INDEX NAME)

PAGE 1-A



PAGE 1-B



- CC 28-2 (Heterocyclic Compounds (More Than One Hetero Atom))
- ST macrocycle bipyridine phenylene alkyne coumarin dye  
conjugate prepn; macrocyclization Sonogashira coupling iodo  
alkynyl arene prepn macrocycle conjugate; coumarin dye  
macrocyclic bipyridine deriv prepn Sonogashira coupling
- IT Coupling reaction  
(Sonogashira; preparation of 1,3-phenylenediethynyl-bridged  
2,2'-bipyridine macrocycles conjugated with coumarin  
dyes by Suzuki and Sonogashira coupling and macrocyclization)
- IT Cycloaddition reaction  
(cross-coupling; preparation of 1,3-phenylenediethynyl-bridged  
2,2'-bipyridine macrocycles conjugated with coumarin  
dyes by Suzuki and Sonogashira coupling and macrocyclization)
- IT Cross-coupling reaction  
(cycloaddn.; preparation of 1,3-phenylenediethynyl-bridged  
2,2'-bipyridine macrocycles conjugated with coumarin  
dyes by Suzuki and Sonogashira coupling and macrocyclization)
- IT Heterocyclic compounds  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(nitrogen, aromatic, 2,2'-bipyridines; preparation of  
1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles  
conjugated with coumarin dyes by Suzuki and Sonogashira  
coupling and macrocyclization)
- IT Conjugation (molecular association)  
Dyes  
Macrocyclization  
Size-exclusion chromatography  
Suzuki coupling reaction  
(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine  
macrocycles conjugated with coumarin dyes by Suzuki and  
Sonogashira coupling and macrocyclization)
- IT Alkynes  
Coumarins  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)

IT Macrocyclic compounds

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)

IT 1066-54-2 26078-25-1 55804-65-4 89343-06-6

145691-59-4 225797-86-4 296761-60-9 569672-31-7

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)

IT 56908-88-4P 851605-34-0P 851605-36-2P 945867-03-8P

945867-04-9P 945867-05-0P 945867-06-1P

945867-07-2P 945867-08-3P 945867-09-4P 945867-10-7P

945867-11-8P 945867-12-9P 945867-13-0P

945867-15-2P 945867-16-3P 945867-17-4P

945867-19-6P 945867-20-9P 945867-21-0P

945867-22-1P 945867-23-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)

IT 851605-38-4P 945867-00-5P 945867-01-6P 945867-02-7P

945867-14-1P 945867-18-5P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of 1,3-phenylenediethynyl-bridged 2,2'-bipyridine macrocycles conjugated with coumarin dyes by Suzuki and Sonogashira coupling and macrocyclization)

REFERENCE COUNT: 38 THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L24 ANSWER 2 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:556243 HCAPLUS Full-text

DOCUMENT NUMBER: 147:212262

TITLE: Efficient functional molecule incorporation method to functionalized peptide nucleic acid (PNA): use in synthesis of labeled PNA oligomers

AUTHOR(S): Ikeda, Hisafumi; Kitagawa, Fumihiko; Nakamura, Yushin

CORPORATE SOURCE: Graduate School of Pharmaceutical Sciences, Osaka University, Suita, Osaka, 565-0871, Japan

SOURCE: Tetrahedron (2007), 63(25), 5677-5689


CODEN: TETRAB; ISSN: 0040-4020

PUBLISHER: Elsevier Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

GI




AB A novel efficient synthetic method for a functionalized PNA (peptide nucleic acid) is described, in which a functional mol. is incorporated in place of a nucleobase. Novel amino acid-PNA conjugates I (n = 1-5) were designed as PNA precursor monomer units into which functional mols. could be incorporated efficiently. For example, I reacted quant. with N-hydroxysuccinimide active ester and isothiocyanate derivs. of com. available fluorescent labels to give labeled PNA monomer units. Various types of functionalized PNA monomer units could be efficiently incorporated into multiple predetd. positions in a PNA oligomer by solid-phase peptide synthesis in the same way as for the four A(Cbz), G(Cbz), C(Cbz), and T PNA monomer units.

IT 139346-57-9

RL: RCT (Reactant); RACT (Reactant or reagent)  
(preparation of PNAs and labeled PNA oligomers)

RN 139346-57-9 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(diethylamino)-2-oxo-,  
2,5-dioxo-1-pyrrolidinyl ester (CA INDEX NAME)



CC 34-3 (Amino Acids, Peptides, and Proteins)

Section cross-reference(s): 33

IT 1138-80-3 1947-00-8 2304-94-1 5105-78-2 6066-82-6,  
N-Hydroxysuccinimide 23135-50-4 27072-45-3 27128-58-1, Dabcyl  
chloride 72648-80-7 114932-60-4 115584-73-1 117548-22-8  
120718-52-7, Tamra 139346-57-9 169287-77-8 212268-90-1

RL: RCT (Reactant); RACT (Reactant or reagent)  
(preparation of PNAs and labeled PNA oligomers)

REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE  
FOR THIS RECORD. ALL CITATIONS AVAILABLE  
IN THE RE FORMAT

L24 ANSWER 3 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1027995 HCAPLUS Full-text

DOCUMENT NUMBER: 143:301986

TITLE: Stimuli-responsive hydrogel microdomes  
integrated with genetically engineered proteins  
for high-throughput screening of pharmaceuticals  
INVENTOR(S): Daunert, Sylvia; Deo, Sapna Kamalakar; Ehrick,  
Jason Douglas; Browning, Tyler William; Bachas,  
Leonidas G.

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 27 pp., Cont.-in-part of  
U.S. Ser. No. 905,041.  
CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

-----  
 US 2005208469 A1 20050922 US 2004-996068 200411  
 24  
 US 2002068295 A1 20020606 US 2001-905041 200107  
 13  
 PRIORITY APPLN. INFO.: US 2000-218036P P 200007  
 13  
 US 2001-905041 A2 200107  
 13


AB A hydrogel microdome that can swell in response to a stimuli or target mol. is formed by polymerizing a mixture comprising a monomer capable of forming a hydrogel with a biopolymer. An array of hydrogel microdomes can be formed on a substrate by microspotting the mixture and polymerizing. The array can be used for high-throughput screening of analytes as well as for use as an actuator and biosensor using the swelling property of the hydrogel.

IT 156571-46-9, MDCC

RL: RCT (Reactant); RACT (Reactant or reagent)  
 (stimuli-responsive hydrogel microdomes integrated with  
 genetically engineered proteins for high-throughput screening of  
 pharmaceuticals)

RN 156571-46-9 HCAPLUS

CN 2H-1-Benzopyran-3-carboxamide, 7-(diethylamino)-N-[2-(2,5-dihydro-  
 2,5-dioxo-1H-pyrrol-1-yl)ethyl]-2-oxo- (CA INDEX NAME)



IC ICM C12Q001-00

ICS C12M001-34

INCL 435004000; 435287100

CC 9-1 (Biochemical Methods)

Section cross-reference(s): 1

IT Calmodulins

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

(conjugate with BMPS; stimuli-responsive hydrogel  
 microdomes integrated with genetically engineered proteins for  
 high-throughput screening of pharmaceuticals)

IT Calmodulins

RL: BSU (Biological study, unclassified); RCT (Reactant); BIOL

(Biological study); RACT (Reactant or reagent)

(monomer; stimuli-responsive hydrogel microdomes  
 integrated with genetically engineered proteins for  
 high-throughput screening of pharmaceuticals)

IT 156571-46-9DP, MDCC, calmodulin-conjugated

RL: PRP (Properties); SPN (Synthetic preparation); PREP  
 (Preparation)

(stimuli-responsive hydrogel microdomes integrated with

genetically engineered proteins for high-throughput screening of pharmaceuticals)

IT 2095-14-9 38862-24-7 156571-46-9, MDCC

RL: RCT (Reactant); RACT (Reactant or reagent)

(stimuli-responsive hydrogel microdomes integrated with genetically engineered proteins for high-throughput screening of pharmaceuticals)

IT 79-06-1DP, Acrylamide, polymer vinyl-containing 3-(trifluoromethyl-phenothiazin-10-yl) propylamide and N,N-methylenebis(acrylamide) 110-26-9DP, polymer with vinyl-containing 3-(trifluoromethyl-phenothiazin-10-yl) propylamide and acrylamide 2095-14-9DP, conjugate with calmodulin 864538-88-5P 864538-89-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(stimuli-responsive hydrogel microdomes integrated with genetically engineered proteins for high-throughput screening of pharmaceuticals)

L24 ANSWER 4 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:641704 HCAPLUS Full-text

DOCUMENT NUMBER: 143:129481

TITLE: Biosensor having metal surfaces coated with hydrophobic polymer so as not to be significantly affected by baseline fluctuation or nonspecific adsorption

INVENTOR(S): Kubo, Toshiaki; Ezoe, Toshihide

PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Japan

SOURCE: U.S. Pat. Appl. Publ., 20 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
US 2005158850	A1	20050721	US 2004-20254	20041227
JP 2005189061	A	20050714	JP 2003-429860	20031225
JP 2005283142	A	20051013	JP 2004-93048	20040326
JP 2005283143	A	20051013	JP 2004-93049	20040326
JP 2005315588	A	20051110	JP 2004-130593	20040427
PRIORITY APPLN. INFO.:			JP 2003-429860	A 20031225
			JP 2004-93048	A 20040326

JP 2004-93049

A

200403

26

JP 2004-130593

A

200404

27

AB It is an object of the present invention to provide a biosensor, which is not significantly affected by baseline fluctuation and suppresses nonspecific adsorption. The present invention provides a biosensor, which comprises a metal surface or metal film coated with a hydrophobic polymer, and has two or more types of different surfaces in a region coated with a hydrophobic polymer. A dielec. block was coated with a gold film and then with polymethyl methacrylate (PMMA). The PMMA layer was treated with NaOH and then activated with 1-ethyl-2,3-dimethylaminopropylcarbodiimide mixed with pentafluorophenol. Biotin-LC-amine was then applied by ink-jet printing to a half portion of the treated surface. Ethanolamine was used as blocking agent on the entire surface. Biotinylated IL-8 antibody was immobilized on the printed surface and the chip was used to measure IL-8. The immunosensor gave good detectability of antigen binding and good reproducibility.

IT 65452-02-0


RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study); RACT (Reactant or reagent); USES (Uses)

(as substrate for trypsin activity determination; biosensor having metal surfaces coated with hydrophobic polymer so as not to be significantly affected by baseline fluctuation or nonspecific adsorption)

RN 65452-02-0 HCAPLUS

CN Benzamide, N-[(1S)-4-[(aminoiminomethyl)amino]-1-[[4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]carbonyl]butyl]- (CA INDEX NAME)

Absolute stereochemistry.



IC ICM C12M001-34

INCL 435287200

CC 9-1 (Biochemical Methods)

Section cross-reference(s): 15

IT 65452-02-0

RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study); RACT (Reactant or reagent); USES (Uses)

(as substrate for trypsin activity determination; biosensor having metal surfaces coated with hydrophobic polymer so as not to be significantly affected by baseline fluctuation or nonspecific adsorption)

IT 31900-57-9, PDMS

RL: NUU (Other use, unclassified); USES (Uses)

(assumed monomer, film, as diaphragm in preparation of

two-part split surface; biosensor having metal surfaces coated with hydrophobic polymer so as not to be significantly affected by baseline fluctuation or nonspecific adsorption)

IT 58-85-5D, Biotin, conjugates with antibody to IL-8, immobilized on biosensor chip  
 RL: ARG (Analytical reagent use); BSU (Biological study, unclassified); DEV (Device component use); ANST (Analytical study); BIOL (Biological study); USES (Uses)  
 (biosensor having metal surfaces coated with hydrophobic polymer so as not to be significantly affected by baseline fluctuation or nonspecific adsorption)

L24 ANSWER 5 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:513504 HCAPLUS Full-text

DOCUMENT NUMBER: 141:71570

TITLE: Preparation of 3-(benzothiadiazin-3-yl)quinolines as HCV anti-infectives

INVENTOR(S): Chai, Deping; Duffy, Kevin J.; Fitch, Duke M.; Shaw, Antony N.; Tedesco, Rosanna; Wiggall, Kenneth J.; Zimmerman, Michael N.

PATENT ASSIGNEE(S): Smithkline Beecham Corporation, USA

SOURCE: PCT Int. Appl., 88 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004052313	A2	20040624	WO 2003-US39983	20031211
WO 2004052313	A3	20040902		
W: AE, AG, AL, AU, BA, BB, BR, BZ, CA, CN, CO, CR, CU, DM, DZ, EC, EG, GD, GE, HR, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, NO, NZ, OM, PH, PL, RO, SC, SG, TN, TT, UA, US, UZ, VN, YU, ZA				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003300957	A1	20040630	AU 2003-300957	20031211
PRIORITY APPLN. INFO.:			US 2002-432462P	P 20021211
			WO 2003-US39983	W 20031211

OTHER SOURCE(S): MARPAT 141:71570

GI





AB 3-(Benzothiadiazin-3-yl)quinolines, e.g., I [R1 = H, halogen, C1-4-alkyl, OR11, NR10R11, aryl, CO2H, CONHR11, CN, NO2, NH2, etc.; R2 = H, (un)substituted C1-8-alkyl, C2-8-alkenyl, C2-8-alkynyl, C3-6-cycloalkyl, heterocycloalkyl, aryl, heteroaryl, NO2, CN, halogen, CO2R9, COR9, OR9, SR9, S(O)R12, SO2R12, etc.; R3 = H, halogen, CN, C1-6-alkyl, OH, CO2H; R4, R6 = H, halogen, CN, C1-6-alkyl, OH, O-(C1-4-alkyl), C1-4-haloalkyl, NO2, NH2; R5 = H, halogen, CN, C1-6-alkyl, OH, O-(C1-4-alkyl); R7 = H, C1-8-alkyl, C2-8-alkenyl, C2-8-alkynyl, C3-6-cycloalkyl, heterocycloalkyl, aryl, heteroaryl, NO2, CN, halogen, CO2R9, COR9, OR9, SR9, S(O)R12, SO2R12, etc.; R8 = H, halogen, OH, C1-4-alkyl, CO2R9, COR9, etc.; R1R2, R5R6, R6R7, R7R8 = alkylenedioxy; W = H, CO2R11, (un)substituted C1-10-alkyl, C2-10-alkenyl, C2-10-alkynyl, C3-6-cycloalkyl, (C1-6-alkyl)-(C3-6-cycloalkyl), (C2-6-alkenyl)-(C3-6-cycloalkyl), (C2-6-alkynyl)-(C3-6-cycloalkyl), etc.; X = O, S; Y = OH, SH; Z = H, C1-4-alkyl; R9 = H, C1-8-alkyl, C2-8-alkenyl, C2-8-alkynyl, C3-6-cycloalkyl, heterocycloalkyl, aryl, heteroaryl, etc.; R10 = H, C1-6-alkyl; R11 = H, C1-6-alkyl, C3-6-cycloalkyl, heterocycloalkyl, aryl, heteroaryl; R12 = C1-8-alkyl, C2-8-alkenyl, C2-8-alkynyl, C3-6-cycloalkyl, heterocycloalkyl, aryl, heteroaryl], their tautomers, pharmaceutically acceptable salts (especially sodium and potassium), and solvates, useful as HCV anti-infectives are disclosed. Also disclosed are methods of making and using the same.

IT 709041-86-1P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

(preparation and O-alkylation of, with chloroacetamide; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709041-86-1 HCAPLUS

CN 2(1H)-Quinolinone, 6-fluoro-4-hydroxy-3-(8-hydroxy-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)



IT 712274-20-9P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

(preparation and alkylation by, of bromoacetonitrile; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)


RN 712274-20-9 HCAPLUS

CN 2(1H)-Quinolinone, 6-amino-4-hydroxy-3-(7-hydroxy-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-1-(3-methylbutyl)-, monohydrobromide (9CI) (CA INDEX NAME)




● HBr

IT 477931-77-4P 709042-06-8P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (preparation and ammoniation of; preparation of HCV anti-infective  
 3-(benzothiadiazin-3-yl)quinolines)  
 RN 477931-77-4 HCAPLUS  
 CN Acetonitrile, [[3-[1-(2-cyclopropylethyl)-6-fluoro-1,2-dihydro-4-hydroxy-2-oxo-3-quinolinyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-7-yl]oxy]- (9CI) (CA INDEX NAME)




RN 709042-06-8 HCAPLUS  
 CN 2H-1,2,4-Benzothiadiazine-7-carbonitrile, 3-[1-(2-cyclopropylethyl)-6-fluoro-1,2-dihydro-4-hydroxy-2-oxo-3-quinolinyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



IT 709042-36-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)(preparation and bromination of; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)


RN 709042-36-4 HCAPLUS

CN 2(1H)-Quinolinone, 3-(7-acetyl-1,1-dioxido-2H-1,2,4-benzothiadiazin-  
3-yl)-1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy- (9CI) (CA INDEX  
NAME)

IT 709042-19-3P 712274-21-0P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)(preparation and cyclocondensation of, with acetylthiourea; preparation of  
HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709042-19-3 HCAPLUS

CN 2(1H)-Quinolinone, 3-[7-(bromoacetyl)-1,1-dioxido-2H-1,2,4-  
benzothiadiazin-3-yl]-1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-1-(3-methylbutyl)- (9CI)  
(CA INDEX NAME)

RN 712274-21-0 HCAPLUS

CN 2(1H)-Quinolinone, 3-[7-(bromoacetyl)-1,1-dioxido-2H-1,2,4-  
benzothiadiazin-3-yl]-1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-  
(9CI) (CA INDEX NAME)




IT 712274-24-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and cyclocondensation of, with hydroxylamine; preparation of  
 HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 712274-24-3 HCAPLUS

CN 2-Propenoic acid, 3-[3-[1-(2-cyclopropylethyl)-6-fluoro-1,2-dihydro-4-hydroxy-2-oxo-3-quinolinyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-7-yl]-3-ethoxy-, ethyl ester (9CI) (CA INDEX NAME)




IT 709042-09-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and hydrogenolysis of; preparation of HCV anti-infective  
 3-(benzothiadiazin-3-yl)quinolines)

RN 709042-09-1 HCAPLUS

CN 2(1H)-Quinolinone, 3-(1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-4-hydroxy-1-(3-methylbutyl)-5-nitro- (9CI) (CA INDEX NAME)




IT 709041-95-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and hydrogenolysis or reaction of, with chloroacetamide;  
preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709041-95-2 HCAPLUS

CN 2(1H)-Quinolinone, 3-(5-chloro-8-hydroxy-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-  
(9CI) (CA INDEX NAME)




IT 477933-29-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(preparation and methoxycarbonylation, cyanation, acetylation or  
reaction of, with ethoxyacrylate; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)

RN 477933-29-2 HCAPLUS

CN 2(1H)-Quinolinone, 1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-3-(7-iodo-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)- (9CI) (CA INDEX NAME)




IT 477930-55-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(preparation and nitration of; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)

RN 477930-55-5 HCAPLUS

CN 2(1H)-Quinolinone, 3-(1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-6-fluoro-4-hydroxy-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)



IT 709042-38-6P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

```
(preparation and palladium-catalyzed acetylation of; preparation of HCV
anti-infective 3-(benzothiadiazin-3-yl)quinolines)
```

RN 709042-38-6 HCAPLUS

CN 2(1H)-Quinolinone, 6-fluoro-4-hydroxy-3-(7-iodo-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)



IT 477932-03-9P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

```
(preparation and reaction of, with DMF di-Me acetal; preparation of HCV
anti-infective 3-(benzothiadiazin-3-yl)quinolines)
```

RN 477932-03-9 HCAPLUS

CN Acetonitrile, [[3-[6-amino-1,2-dihydro-4-hydroxy-1-(3-methylbutyl)-2-oxo-3-quinolinyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-7-yl]oxy]-(9CI) (CA INDEX NAME)



IT 477931-76-3P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

(preparation and reaction of, with bromoacetamide or chloroacetonitrile; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 477931-76-3 HCAPLUS

CN 2(1H)-Quinolinone, 1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-3-(7-hydroxy-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)- (9CI) (CA INDEX NAME)




IT 712274-25-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and reaction of, with chloroacetamide; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 712274-25-4 HCAPLUS

CN 2(1H)-Quinolinone, 1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-3-(8-hydroxy-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)- (9CI) (CA INDEX NAME)




IT 477931-78-5P

RL: RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation and reaction of, with dimethylchloroacetamide; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 477931-78-5 HCAPLUS

CN Acetamide, 2-[[3-[1-(2-cyclopropylethyl)-6-fluoro-1,2-dihydro-4-hydroxy-2-oxo-3-quinolinyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-7-yl]oxy]- (9CI) (CA INDEX NAME)




IT 477932-19-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and reaction of, with ethoxyacrylate; preparation of HCV  
 anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 477932-19-7 HCAPLUS

CN 2(1H)-Quinolinone, 4-hydroxy-3-(7-iodo-1,1-dioxido-2H-1,2,4-  
 benzothiadiazin-3-yl)-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)




IT 709042-05-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and reaction of, with haloacetamide or haloacetate;  
 preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709042-05-7 HCAPLUS

CN 2(1H)-Quinolinone, 3-(1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-4,5-  
 dihydroxy-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)



IT 709041-99-6P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(preparation and reaction of, with trichloroacetyl isocyanate; preparation  
 of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709041-99-6 HCAPLUS



CN 2(1H)-Quinolinone, 1-(2-cyclopropylethyl)-6-fluoro-4-hydroxy-3-[7-(hydroxymethyl)-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]- (9CI)  
(CA INDEX NAME)




IT 709042-37-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(preparation and reduction of; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)

RN 709042-37-5 HCAPLUS

CN 2H-1,2,4-Benzothiadiazine-7-carboxylic acid, 3-[1-(2-cyclopropylethyl)-6-fluoro-1,2-dihydro-4-hydroxy-2-oxo-3-quinolinyl]-, methyl ester, 1,1-dioxide (9CI) (CA INDEX NAME)




IT 709042-39-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(preparation and regioselective bromination of; preparation of HCV  
anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709042-39-7 HCAPLUS

CN 2(1H)-Quinolinone, 3-(7-acetyl-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-6-fluoro-4-hydroxy-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)




IT 709042-14-8P

RL: RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation, hydrolysis and anti-infective activity of; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

RN 709042-14-8 HCAPLUS

CN 2(1H)-Quinolinone, 6-fluoro-4-hydroxy-3-(8-methoxy-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl)-1-(3-methylbutyl)- (9CI) (CA INDEX NAME)



IC ICM A61K

CC 28-20 (Heterocyclic Compounds (More Than One Hetero Atom))

Section cross-reference(s): 1, 63

IT Peptides, biological studies

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(conjugates, with nucleic acids, co-drug; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

IT 143456-48-8P, 4-Toluenesulfonic acid (S)-2-oxopyrrolidin-3-yl ester

RL: SPN (Synthetic preparation); PREP (Preparation)  
(key precursor; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

IT 709041-86-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and O-alkylation of, with chloroacetamide; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

IT 712274-20-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and alkylation by, of bromoacetonitrile; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

IT 477931-77-4P 709042-06-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and ammoniation of; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

IT 709042-36-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and bromination of; preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)

IT 709042-19-3P 712274-21-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and cyclocondensation of, with acetylthiourea; preparation of

- HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 712274-24-3P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and cyclocondensation of, with hydroxylamine; preparation of  
HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 577-61-7P, 2-Nitro-4-(trifluoromethyl)benzenesulfonamide  
477932-88-0P, 1-(3-Methylbutyl)-6-nitro-1H-benzo[d][1,3]oxazine-2,4-  
dione 709042-09-1P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and hydrogenolysis of; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)
- IT 709041-95-2P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and hydrogenolysis or reaction of, with chloroacetamide;  
preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 477933-29-2P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and methoxycarbonylation, cyanation, acetylation or  
reaction of, with ethoxyacrylate; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)
- IT 477930-55-5P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and nitration of; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)
- IT 709042-38-6P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and palladium-catalyzed acetylation of; preparation of HCV  
anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 477932-03-9P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reaction of, with DMF di-Me acetal; preparation of HCV  
anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 477931-76-3P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reaction of, with bromoacetamide or  
chloroacetonitrile; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)
- IT 712274-25-4P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reaction of, with chloroacetamide; preparation of HCV  
anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 477931-78-5P  
RL: RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic  
use); BIOL (Biological study); PREP (Preparation); RACT  
(Reactant or reagent); USES (Uses)  
(preparation and reaction of, with dimethylchloroacetamide; preparation of  
HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 477932-19-7P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reaction of, with ethoxyacrylate; preparation of HCV

- anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 709042-05-7P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reaction of, with haloacetamide or haloacetate;  
preparation of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 709041-99-6P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reaction of, with trichloroacetyl isocyanate; preparation  
of HCV anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 709042-37-5P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and reduction of; preparation of HCV anti-infective  
3-(benzothiadiazin-3-yl)quinolines)
- IT 709042-39-7P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(preparation and regioselective bromination of; preparation of HCV  
anti-infective 3-(benzothiadiazin-3-yl)quinolines)
- IT 709042-14-8P  
RL: RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic  
use); BIOL (Biological study); PREP (Preparation); RACT  
(Reactant or reagent); USES (Uses)  
(preparation, hydrolysis and anti-infective activity of; preparation of HCV  
anti-infective 3-(benzothiadiazin-3-yl)quinolines)

L24 ANSWER 6 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:891899 HCAPLUS Full-text

DOCUMENT NUMBER: 139:361242

TITLE: Electrochemical immobilization of biomolecules  
using coumarin derivatives as monomers  
for conducting polymers and the preparation of  
biosensors

INVENTOR(S): Gajovic-eichelmann, Nenad

PATENT ASSIGNEE(S): Fraunhofer-Gesellschaft zur Foerderung der  
Angewandten Forschung E.V., Germany

SOURCE: Ger. Offen., 8 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
DE 10217597	A1	20031113	DE 2002-10217597	200204 19
PRIORITY APPLN. INFO.:			DE 2002-10217597	200204 19

OTHER SOURCE(S): MARPAT 139:361242

AB The invention concerns the electrochem. immobilization of biomols. onto a  
conducting surface by the deposition of a conducting polymer layer from an  
aqueous solution and the entrapment of the biomol. into the polymer layer;  
monomers for the conducting layer are coumarin derivs. Biomols. are nucleic

acids, antibodies, antigens, peptides, proteins, enzymes, hormones, organic and inorg. nanoparticles and cells. Carriers for the conducting polymers are electrodes; conducting salts, redox mediators, and other additives are added. Biosensors, immunosensors, microsystems are produced for use in conjunction with measuring devices, e.g. fluorometers, fluorescence microscopes, photometers, image scanners, etc. Thus a gold interdigital miniature electrode was covered with scopoletin polymer and streptavidin using a 0.05 M potassium chloride solution pH 7 that contained 1 m-Mol/L scopoletin and 1 mg/mL streptavidin at constant 0.5 V with Ag/AgCl reference electrode and Pt counter electrode. 5'-Biotinylated 13-mer oligomer in phosphate buffer was bound to the modified electrode by incubating the solution with the electrode for 30 min. at room temperature


IT 91-64-5, Coumarin

RL: RCT (Reactant); RACT (Reactant or reagent)

(derivative; electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)

RN 91-64-5 HCAPLUS

CN 2H-1-Benzopyran-2-one (CA INDEX NAME)




IT 92-61-5, Scopoletin

RL: RCT (Reactant); RACT (Reactant or reagent)

(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)

RN 92-61-5 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-hydroxy-6-methoxy- (CA INDEX NAME)



IC ICM G01N027-327

ICS G01N033-549; G01N033-68; G01N033-50; C12Q001-00; C12Q001-68

CC 9-16 (Biochemical Methods)

Section cross-reference(s): 3, 38

IT Cell

Conducting polymers

Electrodeposition

Electrodes

Enzyme electrodes

Immobilization, molecular or cellular

Microelectrodes

Nanoparticles

(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)

IT Salts, uses

RL: NUU (Other use, unclassified); USES (Uses)

- (electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT Antibodies and Immunoglobulins  
Antigens  
Enzymes, processes  
Hormones, animal, processes  
Hormones, plant  
Nucleic acids  
Peptides, processes  
Proteins  
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process)  
(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT Biochemical compounds  
RL: PRP (Properties)  
(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT Polymerization  
(electrochem.; electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT Biosensors  
(immunosensors; electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT 91-64-5, Coumarin  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(derivative; electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT 9013-20-1, Streptavidin  
RL: CPS (Chemical process); DEV (Device component use); PEP (Physical, engineering or chemical process); PROC (Process); USES (Uses)  
(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT 7440-57-5, Gold, uses  
RL: DEV (Device component use); USES (Uses)  
(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT 92-61-5DP, Scopoletin, polymeric derivs.  
RL: DEV (Device component use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)  
(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)
- IT 58-85-5D, Biotin, oligomer- or fluorescein-conjugated  
2321-07-5D, Fluorescein, conjugate with biotin  
9001-96-1, Pyruvate oxidase  
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process)  
(electrochem. immobilization of biomols. using coumarin derivs. as monomers for conducting polymers and the preparation of biosensors)

IT 92-61-5, Scopoletin

RL: RCT (Reactant); RACT (Reactant or reagent)

(electrochem. immobilization of biomols. using coumarin derivs.  
as monomers for conducting polymers and the preparation of  
biosensors)

L24 ANSWER 7 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:221792 HCAPLUS Full-text

DOCUMENT NUMBER: 138:260128

TITLE: Photo-labile pro-fragrances and compositions  
containing them

INVENTOR(S): Dykstra, Robert Richard; Gray, Lon Montgomery

PATENT ASSIGNEE(S): The Procter &amp; Gamble Company, USA

SOURCE: PCT Int. Appl., 36 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003022978	A1	20030320	WO 2002-US28645	20020910
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2003125220	A1	20030703	US 2002-217278	20020812
EG 23159	A	20040531	EG 2002-1004	20020909
CA 2456620	A1	20030320	CA 2002-2456620	20020910
AU 2002333520	A1	20030324	AU 2002-333520	20020910
EP 1432784	A1	20040630	EP 2002-798177	20020910
EP 1432784	B1	20071024		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
BR 2002012445	A	20040817	BR 2002-12445	20020910
CN 1553948	A	20041208	CN 2002-817797	20020910

HU 2004001781	A2	20041228	HU 2004-1781	200209 10
JP 2005502768	T	20050127	JP 2003-527043	200209 10
AT 376582	T	20071115	AT 2002-798177	200209 10
IN 2004DN00309	A	20050401	IN 2004-DN309	200402 10
MX 2004PA02288	A	20040629	MX 2004-PA2288	200403 10
US 2005014663	A1	20050120	US 2004-919148	200408 16
US 2005227879	A1	20051013	US 2005-143067	200506 02
US 7071151	B2	20060704	US 2001-318662P	P 200109 11
PRIORITY APPLN. INFO.:			US 2002-217278	A1 200208 12
			WO 2002-US28645	W 200209 10
			US 2004-919148	A1 200408 16

OTHER SOURCE(S): MARPAT 138:260128  
GI




AB The present invention relates to photo-labile pro-fragrances, as well as a fragrance raw material delivery system with an aesthetic benefit comprising: (i) from about 0.001% to about 100% by weight, of a photo-labile pro-fragrance compound having the formula I, wherein OR is a unit derived from a fragrance raw material alc., HOR; R1 is one or more electron donating groups; each R2 is independently hydrogen, C1-C12 alkyl, and mixts. thereof; X is selected from the group consisting of -OH, -NH2, -NHR3, and mixts. thereof; R3 is hydrogen, C1-C12 linear or branched alkyl, C6-C10 aryl, and mixts. thereof; and (ii)



optionally from about 0.001% to about 50% by weight, of one or more fragrance raw materials. These delivery systems are useful for detergents, shampoos, personal care products, and fabric softeners. Thus, 1,5-dimethyl-1-vinylhex-4-enyl 3-(2,4-dihydroxyphenyl)acrylate was manufactured by reaction of 3-(2,4-dihydroxyphenyl)acrylic acid with linalool.

IT 93-35-6, 7-Hydroxychromen-2-one  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (profragrance precursor; photolabile profragrances  
 exhibiting good aesthetic benefits for detergents, shampoos,  
 personal care products, and fabric softeners)  
 RN 93-35-6 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-hydroxy- (CA INDEX NAME)



IC ICM C11D003-50  
 ICS A61K007-32; C07C229-44  
 CC 62-5 (Essential Oils and Cosmetics)  
 Section cross-reference(s): 25, 46  
 ST photoactivatable profragrance arylbutenoate deriv detergent;  
 fragrance precursor conjugate photolabile manuf;  
 fabric softener photoactivatable profragrance arylbutenoate deriv;  
 personal care product photoactivatable profragrance arylbutenoate  
 deriv; shampoo photoactivatable profragrance arylbutenoate deriv;  
 dimethylvinylhexenyl dihydroxyphenylacrylate manuf photoactivatable  
 profragrance  
 IT 614-86-8P, 3-(2,4-Dihydroxyphenyl)acrylic acid  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP  
 (Preparation); RACT (Reactant or reagent)  
 (profragrance precursor; photolabile profragrances  
 exhibiting good aesthetic benefits for detergents, shampoos,  
 personal care products, and fabric softeners)  
 IT 60-12-8, Phenethyl alcohol 78-70-6, Linalool 93-35-6,  
 7-Hydroxychromen-2-one 106-22-9, Citronellol  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (profragrance precursor; photolabile profragrances  
 exhibiting good aesthetic benefits for detergents, shampoos,  
 personal care products, and fabric softeners)  
 REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR  
 THIS RECORD. ALL CITATIONS AVAILABLE IN  
 THE RE FORMAT

L24 ANSWER 8 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2000:790577 HCAPLUS Full-text  
 DOCUMENT NUMBER: 133:351506  
 TITLE: Aza-benzazolum-containing cyanine dyes and  
 their use in fluorescent biological stains  
 INVENTOR(S): Haugland, Richard P.; Yue, Stephen T.  
 PATENT ASSIGNEE(S): Molecular Probes, Inc., USA  
 SOURCE: PCT Int. Appl., 87 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO. -----	KIND ----	DATE -----	APPLICATION NO. -----	DATE
WO 2000066664	A1	20001109	WO 2000-US11549	200004 26
W: AU, CA, JP RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 6664047	B1	20031216	US 2000-557275	200004 24
AU 200046786	A	20001117	AU 2000-46786	200004 26
US 2004137475	A1	20040715	US 2003-683753	200310 13
US 7226740	B2	20070605	US 1999-131782P	P 199904 30
PRIORITY APPLN. INFO.:			US 1999-158859P	P 199910 12
			US 2000-557275	A3 200004 24
			WO 2000-US11549	W 200004 26

OTHER SOURCE(S): CASREACT 133:351506

AB Unsym. cyanine dyes that incorporate an aza-benzazolum ring moiety are disclosed, including cyanine dyes substituted by a cationic side chain, monomeric and dimeric cyanine dyes, chemical reactive cyanine dyes, and conjugates of cyanine dyes. The dyes are virtually non-fluorescent when diluted in aqueous solution, but exhibit bright fluorescence when associated with nucleic acid polymers such as DNA or RNA, or when associated with detergent-complexed proteins. A variety of applications are described for detection and quantitation of nucleic acids and detergent-complexed proteins in a variety of samples, including solns., electrophoretic gels, cells, and microorganisms.


IT 1843-89-6, 6-Methoxy-1,4-dimethyl-2-quinolone  
 2540-30-9, 4-Methyl-1-phenyl-2-quinolone 2584-47-6  
 , 1,4-Dimethyl-2-quinolone 111724-59-5,  
 7-Methoxy-1,4-dimethyl-2-quinolone 305802-26-0,  
 6,7-Dimethoxy-1,4-dimethyl-2-quinolone 305802-29-3,  
 4-Ethyl-1-methyl-2-quinolone

RL: RCT (Reactant); RACT (Reactant or reagent)

(dye starting material; production of azabenzazolum cyanine dyes for fluorescent biol. stains)


RN 1843-89-6 HCAPLUS

CN 2(1H)-Quinolinone, 6-methoxy-1,4-dimethyl- (CA INDEX NAME)




RN 2540-30-9 HCAPLUS

CN 2(1H)-Quinolinone, 4-methyl-1-phenyl- (CA INDEX NAME)




RN 2584-47-6 HCAPLUS

CN 2(1H)-Quinolinone, 1,4-dimethyl- (CA INDEX NAME)




RN 111724-59-5 HCAPLUS

CN 2(1H)-Quinolinone, 7-methoxy-1,4-dimethyl- (CA INDEX NAME)




RN 305802-26-0 HCAPLUS

CN 2(1H)-Quinolinone, 6,7-dimethoxy-1,4-dimethyl- (CA INDEX NAME)



RN 305802-29-3 HCAPLUS  
 CN 2(1H)-Quinolinone, 4-ethyl-1-methyl- (CA INDEX NAME)



IC ICM C09B023-02  
 ICS G01N033-52; G01N033-68; G01N033-58; C12Q001-68  
 CC 41-11 (Dyes, Organic Pigments, Fluorescent Brighteners, and  
 Photographic Sensitizers)  
 Section cross-reference(s): 9  
 IT 305801-52-9P 305801-68-7P  
 RL: IMF (Industrial manufacture); PREP (Preparation)  
 (dye precursor; production of azabenzazolium cyanine dyes  
 for fluorescent biol. stains)  
 IT 305801-48-3P 305801-50-7P 305801-54-1P 305801-56-3P  
 305801-58-5P 305801-60-9P 305801-62-1P 305801-64-3P  
 305801-66-5P 305801-70-1P 305801-71-2P  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP  
 (Preparation); RACT (Reactant or reagent)  
 (dye precursor; production of azabenzazolium cyanine dyes  
 for fluorescent biol. stains)  
 IT 74-88-4, Methyl iodide, reactions 108-24-7, Acetic anhydride  
 109-72-8, Butyllithium, reactions 109-89-7, Diethylamine,  
 reactions 110-95-2, Tetramethyl-1,3-propanediamine 491-35-0,  
 Lepidine 591-51-5, Phenyllithium 1843-89-6,  
 6-Methoxy-1,4-dimethyl-2-quinolone 2304-00-9, N,N'-  
 Dimethylformamide 2540-30-9, 4-Methyl-1-phenyl-2-  
 quinolone 2584-47-6, 1,4-Dimethyl-2-quinolone 2637-34-5,  
 2-Mercaptopyridine 2783-70-2 4885-19-2, 4-  
 Bromobenzyl-diethylamine 5652-79-9, Malonaldehyde dianil  
 16867-03-1, 2-Amino-3-hydroxypyridine 26372-53-2,  
 3-Acetoxy-2-acetamidopyridine 41626-14-6, 1,4-Dimethylquinolinium  
 p-tosylate 42952-26-1, 1,2-Dimethylquinolinium p-tosylate  
 58992-59-9, 1-(3-Iodopropyl)-4-methylquinolinium iodide 77673-47-3  
 78105-28-9, 1,4-Dimethylpyridinium p-tosylate 111724-59-5,  
 7-Methoxy-1,4-dimethyl-2-quinolone 305802-25-9,  
 1-Ethyl-6,7-methylenedioxy-4-methyl-2-quinolone 305802-26-0  
 , 6,7-Dimethoxy-1,4-dimethyl-2-quinolone 305802-28-2  
 305802-29-3, 4-Ethyl-1-methyl-2-quinolone 305802-31-7  
 305802-33-9  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (dye starting material; production of azabenzazolium cyanine dyes for

fluorescent biol. stains)

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR  
THIS RECORD. ALL CITATIONS AVAILABLE IN  
THE RE FORMAT

L24 ANSWER 9 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:733056 HCAPLUS Full-text

DOCUMENT NUMBER: 131:348787

TITLE: Photocleavable agents and conjugates  
having detectable moieties and photoreactive  
moieties for the detection and isolation of  
biomolecules

INVENTOR(S): Rothschild, Kenneth J.; Sonar, Sanjay M.;  
Olejniak, Jerzy

PATENT ASSIGNEE(S): Trustees of Boston University, USA

SOURCE: U.S., 65 pp., Cont.-in-part of U.S. Ser. No.  
240,511.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5986076	A	19991116	US 1994-345807	19941122
US 5643722	A	19970701	US 1994-240511	19940511
CA 2189848	A1	19951123	CA 1995-2189848	19950511
WO 9531429	A1	19951123	WO 1995-US5555	19950511
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN				
AU 9526359	A	19951205	AU 1995-26359	19950511
JP 10500409	T	19980113	JP 1995-529698	19950511
EP 1415995	A2	20040506	EP 2003-78381	19950511
EP 1415995	A3	20040512		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
US 6057096	A	20000502	US 1995-479389	19950607
US 5922858	A	19990713	US 1997-884325	19970627

US 5948624	A	19990907	US 1997-978897	199711 26
US 6210941	B1	20010403	US 1999-290325	199904 12
US 6344320	B1	20020205	US 1999-307579	199905 07
US 6596481	B1	20030722	US 1999-335018	199906 17
US 6589736	B1	20030708	US 2000-504001	200002 14
US 6358689	B1	20020319	US 2000-583243	200005 31
US 2002123032	A1	20020905	US 2001-943120	200108 30
US 6566070	B2	20030520		200112 27
US 2003059785	A1	20030327	US 2001-34736	
US 6919179	B2	20050719		200210 03
US 2003162198	A1	20030828	US 2002-264126	
US 6949341	B2	20050927		200210 03
US 2003190680	A1	20031009	US 2002-264336	
US 2004053217	A1	20040318	US 2003-396960	200303 25
US 7195874	B2	20070327		200303 27
US 2004033514	A1	20040219	US 2003-401251	
US 7169558	B2	20070130		200309 08
US 2005074748	A1	20050407	US 2003-396095	
US 2006024704	A1	20060202	US 2005-145781	200506 06
US 7211394	B2	20070501		200506 14
JP 2006006328	A	20060112	JP 2005-174413	
US 2007020643	A1	20070125	US 2006-326021	200601 05
US 7312038	B2	20071225		200602 28
US 2006275750	A1	20061207	US 2006-364476	
US 2007172849	A1	20070726	US 2006-589425	200610

US 2007148680	A1	20070628	US 2006-639121	30
				200612
				14
PRIORITY APPLN. INFO.:			US 1994-240511	A2
				199405
				11
			US 1994-345807	A
				199411
				22
			EP 1995-921230	A3
				199505
				11
			JP 1995-529698	A3
				199505
				11
			WO 1995-US5555	W
				199505
				11
			US 1995-479389	A1
				199506
				07
			US 1995-487909	B1
				199506
				07
			US 1997-884325	A1
				199706
				27
			US 1999-290325	A1
				199904
				12
			US 1999-307579	A1
				199905
				07
			US 1999-335018	A1
				199906
				17
			US 2000-504001	A1
				200002
				14
			US 2000-583243	A1
				200005
				31
			US 2000-605483	B1
				200006
				28

US 2001-943120	A1	200108 30
US 2001-34736	A1	200112 27
US 2002-264336	B1	200210 03
US 2003-401251	A1	200303 27
US 2003-396095	A1	200309 08
US 2005-145781	A1	200506 06

OTHER SOURCE(S):           MARPAT 131:348787.

AB    This invention relates to agents and **conjugates** that can be used to detect and isolate target components from complex mixts. such as nucleic acids from biol. samples, cells from bodily fluids, and nascent proteins from translation reactions. Agents comprise a detectable moiety bound to a photoreactive moiety. **Conjugates** comprise agents coupled to substrates by covalent bonds which can be selectively cleaved with the administration of electromagnetic radiation. Target substances labeled with detectable mols. can be easily identified and separated from a heterologous mixture of substances. Exposure of the **conjugate** to radiation releases the target in a functional form and completely unaltered. Using photocleavable mol. **precursors** as the **conjugates**, label can be incorporated into macromols., the nascent macromols. isolated and the label completely removed. The invention also relates to targets isolated with these **conjugates** which may be useful as pharmaceutical agents or compns. that can be administered to humans and other mammals. Useful compns. include biol. agents such as nucleic acids, proteins, lipids and cytokines. **Conjugates** can also be used to monitor the pathway and half-life of pharmaceutical composition in vivo and for diagnostic, therapeutic and prophylactic purposes. The invention also relates to kits comprised of agents and **conjugates** that can be used for the detection of diseases, disorders and nearly any individual substance in a complex background of substances. Photocleavable biotin compds. were prepared and incorporated into proteins, DNA, and nucleic acid probes.


IT    91-64-5D, Coumarin, **conjugates** with photoreactive moieties

RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study); **RACT (Reactant or reagent); USES (Uses)**  
      (photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)


RN    91-64-5   HCAPLUS

CN    2H-1-Benzopyran-2-one   (CA INDEX NAME)







IT 62935-72-2, 7-Methoxycoumarin-4-acetic acid  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (photocleavable agents and conjugates having detectable  
 moieties and photoreactive moieties for detection and isolation  
 of biomols.)  
 RN 62935-72-2 HCAPLUS  
 CN 2H-1-Benzopyran-4-acetic acid, 7-methoxy-2-oxo- (CA INDEX NAME)



IT 174406-70-3P 174406-71-4P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (photocleavable agents and conjugates having detectable  
 moieties and photoreactive moieties for detection and isolation  
 of biomols.)  
 RN 174406-70-3 HCAPLUS  
 CN 2H-1-Benzopyran-4-acetamide, N-[(3-acetyl-4-nitrophenyl)methyl]-7-  
 methoxy-2-oxo- (CA INDEX NAME)



RN 174406-71-4 HCAPLUS  
 CN 2H-1-Benzopyran-4-acetamide, N-[[3-(1-hydroxyethyl)-4-  
 nitrophenyl)methyl]-7-methoxy-2-oxo- (CA INDEX NAME)



IC ICM C07H019-00  
ICS C12Q001-68; A01N037-18; A61K039-245  
INCL 536022100  
CC 9-14 (Biochemical Methods)  
Section cross-reference(s): 3, 8, 26, 28, 63  
ST photocleavable reagent conjugate biomol detection  
isolation; biotin photocleavable compd labeling protein DNA; nucleic  
acid probe photocleavable biotin compd; pharmaceutical  
photocleavable reagent conjugate; macromol photocleavable  
reagent conjugate  
IT DNA  
RL: PEP (Physical, engineering or chemical process); SPN (Synthetic  
preparation); PREP (Preparation); PROC (Process)  
(PCR amplification and photocleavable biotin labeling of;  
photocleavable agents and conjugates having detectable  
moieties and photoreactive moieties for detection and isolation  
of biomols.)  
IT Magnetic materials  
(as detectable moieties; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)  
IT Proteins, general, preparation  
RL: ARG (Analytical reagent use); PEP (Physical, engineering or  
chemical process); RCT (Reactant); SPN (Synthetic preparation); ANST  
(Analytical study); PREP (Preparation); PROC (Process); RACT  
(Reactant or reagent); USES (Uses)  
(as detectable moieties; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)  
IT Antibodies  
Antigens  
Peptides, reactions  
RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical  
study); RACT (Reactant or reagent); USES (Uses)  
(as detectable moieties; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)  
IT Nucleic acids  
RL: ARG (Analytical reagent use); RCT (Reactant); SPN (Synthetic  
preparation); ANST (Analytical study); PREP (Preparation); RACT  
(Reactant or reagent); USES (Uses)  
(as detectable moieties; photocleavable agents and  
conjugates having detectable moieties and photoreactive

moieties for detection and isolation of biomols.)

IT Avidins

RL: PEP (Physical, engineering or chemical process); PROC (Process)  
(conjugates with agarose beads, photocleavable  
biotin-leu-enkephalin binding to and photorelease from;  
photocleavable agents and conjugates having detectable  
moieties and photoreactive moieties for detection and isolation  
of biomols.)

IT Drugs

(conjugates with photocleavable agents; photocleavable  
agents and conjugates having detectable moieties and  
photoreactive moieties for detection and isolation of biomols.)

IT Electric charge

(detectable moieties having; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)

IT Immunoglobulins

RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical  
study); RACT (Reactant or reagent); USES (Uses)  
(fragments, as detectable moieties; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)

IT Nucleoside triphosphates

Nucleotides, properties

RL: PRP (Properties)

(in bioreactive agents for forming conjugates;  
photocleavable agents and conjugates having detectable  
moieties and photoreactive moieties for detection and isolation  
of biomols.)

IT tRNA

RL: RCT (Reactant); RACT (Reactant or reagent)

(lysine-specific, misaminoacylation or photocleavable biotin  
labeling of; photocleavable agents and conjugates  
having detectable moieties and photoreactive moieties for  
detection and isolation of biomols.)

IT Drug delivery systems

Spectroscopy

(photocleavable agents and conjugates having detectable  
moieties and photoreactive moieties for detection and isolation  
of biomols.)

IT Lipids, uses

RL: NUU (Other use, unclassified); USES (Uses)

(photocleavable biotin labeled, in liposomes; photocleavable  
agents and conjugates having detectable moieties and  
photoreactive moieties for detection and isolation of biomols.)

IT Liposomes

(photocleavable biotin labeled; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)

IT Probes (nucleic acid)

RL: ARG (Analytical reagent use); ANST (Analytical study); USES  
(Uses)

(photocleavable biotin labeled; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)

IT RNA

RL: SPN (Synthetic preparation); PREP (Preparation)

(photocleavable biotin labeled; photocleavable agents and  
conjugates having detectable moieties and photoreactive  
moieties for detection and isolation of biomols.)

- IT Amino acids, preparation  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (reaction products with photocleavable biotin; photocleavable  
 agents and **conjugates** having detectable moieties and  
 photoreactive moieties for detection and isolation of biomols.)
- IT Oligonucleotides  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (synthesis of, with photocleavable biotin phosphoramidites;  
 photocleavable agents and **conjugates** having detectable  
 moieties and photoreactive moieties for detection and isolation  
 of biomols.)
- IT Nucleic acid hybridization  
 (using photocleavable biotin labeled nucleic acid probes;  
 photocleavable agents and **conjugates** having detectable  
 moieties and photoreactive moieties for detection and isolation  
 of biomols.)
- IT 122921-85-1P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (aminoacylation of, with photocleavable biotin-labeled lysine;  
 photocleavable agents and **conjugates** having detectable  
 moieties and photoreactive moieties for detection and isolation  
 of biomols.)
- IT 250610-51-6D, substrate-bound 250610-52-7D, substrate-bound  
 250610-53-8D, substrate-bound 250610-54-9D, substrate-bound  
 250610-55-0D, substrate-bound 250610-56-1D, substrate-bound  
 250610-57-2D, substrate-bound  
 RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical  
 study); RACT (Reactant or reagent); USES (Uses)  
 (as **conjugate**; photocleavable agents and  
**conjugates** having detectable moieties and photoreactive  
 moieties for detection and isolation of biomols.)
- IT 250610-58-3P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (as photocleavable agent; photocleavable agents and  
**conjugates** having detectable moieties and photoreactive  
 moieties for detection and isolation of biomols.)
- IT 174406-72-5P 250610-59-4P 250610-62-9P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (as photocleavable agent; photocleavable agents and  
**conjugates** having detectable moieties and photoreactive  
 moieties for detection and isolation of biomols.)
- IT 250610-66-3P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (as photocleavable biotin phosphoramidite; photocleavable agents  
 and **conjugates** having detectable moieties and  
 photoreactive moieties for detection and isolation of biomols.)
- IT 9012-36-6D, Agarose, avidin **conjugates**  
 RL: PEP (Physical, engineering or chemical process); PROC (Process)  
 (beads, photocleavable biotin-leu-enkephalin binding to and  
 photorelease from; photocleavable agents and **conjugates**  
 having detectable moieties and photoreactive moieties for  
 detection and isolation of biomols.)
- IT 250610-70-9DP, aminoacylated with photocleavable biotin-labeled  
 lysine, ligated to tRNA  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)

(for synthesis of labeled proteins; photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 250610-68-5

RL: RCT (Reactant); RACT (Reactant or reagent)

(in PCR amplification and labeling of DNA; photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 87424-17-7P 87424-19-9P 250610-69-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(in dinucleotide synthesis; photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 250610-67-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(in preparation of photocleavable biotin labeled RNA; photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 58-85-5D, Biotin, **conjugates** with photoreactive moieties

91-64-5D, Coumarin, **conjugates** with photoreactive

moieties 605-65-2D, Dansyl chloride, **conjugates** with

photoreactive moieties 2321-07-5D, Fluorescein, derivs.,

**conjugates** with photoreactive moieties 13558-31-1D,

derivs., **conjugates** with photoreactive moieties

RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study); RACT (Reactant or reagent); USES (Uses)

(photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 2840-26-8, 3-Amino-4-methoxybenzoic acid 3113-72-2,

5-Methyl-2-nitrobenzoic acid 6851-99-6, 2-Bromo-2'-

nitroacetophenone 7719-09-7, Thionyl chloride 40615-36-9

62935-72-2, 7-Methoxycoumarin-4-acetic acid 72040-64-3,

6-Biotinamidocaproic acid 74124-79-1, N,N'-Disuccinimidyl

carbonate 89992-70-1, 2-Cyanoethyl-N,N-

diisopropylchlorophosphoramidite 90015-82-0

RL: RCT (Reactant); RACT (Reactant or reagent)

(photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 23082-65-7P 38818-49-4P 69976-70-1P, 5-Methyl-2-

nitroacetophenone 99821-59-7P, 5-Bromomethyl-2-nitroacetophenone

130017-51-5P, 2-Nitro-4-methoxy-5-(N-acetyl)aminobenzoic acid

141468-63-5P, 6-Biotinamidocaproyl chloride 166983-70-6P

166983-74-0P 174406-70-3P 174406-71-4P

174406-74-7P 174406-75-8P 250610-51-6P 250610-57-2P

250610-60-7P 250610-61-8P 250610-63-0P 250610-64-1P

250610-65-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(photocleavable agents and **conjugates** having detectable moieties and photoreactive moieties for detection and isolation of biomols.)

IT 9013-20-1D, Streptavidin, support-bound

RL: PEP (Physical, engineering or chemical process); PROC (Process)

(photocleavable biotin-labeled compds. capturing by;

photocleavable agents and **conjugates** having detectable

moieties and photoreactive moieties for detection and isolation

of biomols.)

- IT 56-87-1D, L-Lysine, photocleavable biotin compds., reactions  
 RL: PEP (Physical, engineering or chemical process); RCT (Reactant);  
 PROC (Process); RACT (Reactant or reagent)  
 (preparation and isolation of proteins containing; photocleavable agents  
 and conjugates having detectable moieties and  
 photoreactive moieties for detection and isolation of biomols.)
- IT 58-61-7, Adenosine, reactions 951-77-9, Deoxycytidine  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (protection of, in dinucleotide synthesis; photocleavable agents  
 and conjugates having detectable moieties and  
 photoreactive moieties for detection and isolation of biomols.)
- IT 58822-25-6, Leucine-enkephalin  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (reaction of, with photocleavable biotin-NHS ester;  
 photocleavable agents and conjugates having detectable  
 moieties and photoreactive moieties for detection and isolation  
 of biomols.)

REFERENCE COUNT: 75 THERE ARE 75 CITED REFERENCES AVAILABLE  
 FOR THIS RECORD. ALL CITATIONS AVAILABLE  
 IN THE RE FORMAT

L24 ANSWER 10 OF 18 HCAPLUS. COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:595189 HCAPLUS Full-text

DOCUMENT NUMBER: 131:204415

TITLE: Composition containing glucopyranoside a  
 precursor capable of being hydrolyzed by  
 glucocerebrosidase for treating skin aging and  
 diseases

INVENTOR(S): Redoules, Daniel; Tarroux, Roger; Perie,  
 Jean-jacques

PATENT ASSIGNEE(S): Pierre Fabre Dermo-Cosmetique, Fr.

SOURCE: PCT Int. Appl., 21 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9946273	A1	19990916	WO 1999-FR521	199903 09
W: CA, JP, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
FR 2775976	A1	19990917	FR 1998-2888	199803 10
FR 2775976	B1	20000602		
CA 2367548	A1	19990916	CA 1999-2367548	199903 09
EP 1062223	A1	20001227	EP 1999-908998	199903 09
EP 1062223	B1	20070801		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC,				

PT, IE, FI, CY

AT 368681

T

20070815

AT 1999-908998

199903  
09

US 6569906

B1

20030527

US 2001-856220

200105  
18

PRIORITY APPLN. INFO.:

FR 1998-2888

A

199803  
10

WO 1999-FR521

W

199903  
09

AB The invention concerns a glucopyranoside composition capable of being hydrolyzed by a cutaneous enzyme, glucocerebrosidase. The active precursor is advantageously a gluco-conjugate derived from phenol whereof the two  $\alpha$  carbons are free. The invention also concerns the use of said compns. against light-induced skin aging or for making a medicine for treating certain skin diseases. Finally the invention concerns novel glucosylated compds.

IT 18997-57-4


RL: BUU (Biological use, unclassified); RCT (Reactant); THU (Therapeutic use); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

RN 18997-57-4 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-( $\beta$ -D-glucopyranosyloxy)-4-methyl- (CA INDEX NAME)

Absolute stereochemistry.



IC ICM C07H017-065

ICS A61K007-48; C07H015-203

CC 62-4 (Essential Oils and Cosmetics)

Section cross-reference(s): 7, 9, 33

IT Skin, disease

(aging; composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT Antioxidants

Skin, disease

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT Glycoconjugates

RL: BUU (Biological use, unclassified); RCT (Reactant); THU

(Therapeutic use); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT Hydrolysis

(enzymic; composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT Skin

(epidermis; composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT Glycosides

RL: BUU (Biological use, unclassified); RCT (Reactant); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(glucopyranosides; composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT 59-02-9P,  $\alpha$ -Tocopherol 90-33-5P, 4-Methylumbelliferone  
108-95-2P, Phenol, preparation 542-78-9P, Malonaldehyde  
7616-22-0P

RL: BPN (Biosynthetic preparation); BIOL (Biological study); PREP (Preparation)

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT 119-13-1,  $\delta$ -Tocopherol 119-98-2, Tocol 1464-44-4  
18997-57-4 102340-61-4 113973-04-9 242143-12-0  
242143-13-1

RL: BUU (Biological use, unclassified); RCT (Reactant); THU (Therapeutic use); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT 103-90-2, Paracetamol 129-20-4, Oxyphenylbutazone 395-28-8,  
Isoxsuprine 709-55-7, Etilefrin 4991-65-5, Tioxolone  
18979-53-8, p-Pentyloxyphenol 75716-11-9 197647-08-8  
241814-59-5 241814-60-8 241814-61-9 242143-14-2

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

IT 37228-64-1, Glucocerebrosidase

RL: CAT (Catalyst use); USES (Uses)

(composition containing glucopyranoside a precursor capable of being hydrolyzed by glucocerebrosidase for treating skin aging and diseases)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR  
THIS RECORD. ALL CITATIONS AVAILABLE IN  
THE RE FORMAT

L24 ANSWER 11 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:534580 HCAPLUS Full-text

DOCUMENT NUMBER: 131:348641

TITLE: A fluorescent probe for the detection of NAD(P)H

AUTHOR(S): Roeschlaub, Carl A.; Maidwell, Nicola L.; Reza  
Rezai, M.; Sammes, Peter G.



CORPORATE SOURCE: Department of Chemistry, Molecular Probes Unit,  
School of Physical Sciences, Guildford, Surrey,  
GU2 5XH, UK

SOURCE: Chemical Communications (Cambridge) (1999),  
(17), 1637-1638  
CODEN: CHCOFS; ISSN: 1359-7345

PUBLISHER: Royal Society of Chemistry

DOCUMENT TYPE: Journal


LANGUAGE: English

AB NAD(P)H may be monitored by using reduction to release the fluorophore  
umbelliferone from a precursor conjugate with a quinoxalinium salt.

IT 93-35-6, Umbelliferone  
RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical  
study); RACT (Reactant or reagent); USES (Uses)  
(a fluorescent probe for detection of NAD(P)H)

RN 93-35-6 HCAPLUS


CN 2H-1-Benzopyran-2-one, 7-hydroxy- (CA INDEX NAME)



IT 250586-94-8P 250586-96-0P 250586-98-2P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(a fluorescent probe for detection of NAD(P)H)

RN 250586-94-8 HCAPLUS

CN 2H-1-Benzopyran-2-one, 4-methyl-7-(2-quinoxalinylmethoxy)- (CA  
INDEX NAME)




RN 250586-96-0 HCAPLUS

CN Quinoxalinium, 1-methyl-3-[[[(4-methyl-2-oxo-2H-1-benzopyran-7-yl)oxy]methyl]-, salt with trifluoromethanesulfonic acid (1:1) (9CI)  
(CA INDEX NAME)

CM 1


CRN 250586-95-9  
CMF C20 H17 N2 O3



CM 2


CRN 37181-39-8

CMF C F3 O3 S



RN 250586-98-2 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-[(1,4-dihydro-4-methyl-2-quininoxalinyloxy)methoxy]-4-methyl- (CA INDEX NAME)



CC 9-5 (Biochemical Methods)

IT 93-35-6, Umbelliferone 48123-30-4

RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study); RACT (Reactant or reagent); USES (Uses)

(a fluorescent probe for detection of NAD(P)H)

IT 54804-43-2P 250586-94-8P 250586-96-0P

250586-98-2P 250586-99-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT (Reactant or reagent)

(a fluorescent probe for detection of NAD(P)H)

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR  
THIS RECORD. ALL CITATIONS AVAILABLE IN  
THE RE FORMAT

L24 ANSWER 12 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:178318 HCAPLUS Full-text

DOCUMENT NUMBER: 130:297944

TITLE: Synthesis and study of cyanine dyes containing  
two conjugated chromophores

AUTHOR(S): Yagodinets, P. I.

CORPORATE SOURCE: Fed'kovich Chernovtsy State University,  
Chernovtsy, Ukraine  
SOURCE: Russian Journal of General Chemistry  
(Translation of Zhurnal Obshchei Khimii) (1998),  
68(8), 1252-1255  
CODEN: RJGCEK; ISSN: 1070-3632  
PUBLISHER: MAIK Nauka/Interperiodica Publishing  
DOCUMENT TYPE: Journal  
LANGUAGE: English


AB Biscyanine dyes have been synthesized by reactions of 4-methyl-N-(2-oxochromen-3-ylcarbonylmethyl)pyridinium bromide with p-(dimethylamino)benzaldehyde, p-(diethylamino)benzaldehyde, and 1,3,3-trimethylindolin-2-ylideneacetaldehyde. The distance between the absorption maxima in the electronic spectra of the biscyanines is greater than the distance between the corresponding maxima in the spectra of the parent monocyanine dyes. The angles between the chromophore axes and the degree of chromophore interaction have been calculated

IT 223240-09-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)  
(dye precursor; preparation of cyanine dyes containing two  
conjugated chromophores)

RN 223240-09-3 HCAPLUS

CN Pyridinium, 4-methyl-1-[2-oxo-2-(2-oxo-2H-1-benzopyran-3-yl)ethyl]-,  
bromide (9CI) (CA INDEX NAME)




IT 29310-88-1, 3-(Bromoacetyl)coumarin 161266-45-1

RL: RCT (Reactant); RACT (Reactant or reagent)  
(starting material; preparation of cyanine dyes containing two  
conjugated chromophores)


RN 29310-88-1 HCAPLUS

CN 2H-1-Benzopyran-2-one, 3-(2-bromoacetyl)- (CA INDEX NAME)



RN 161266-45-1 HCAPLUS

CN Pyridinium, 1-[2-oxo-2-(2-oxo-2H-1-benzopyran-3-yl)ethyl]-, bromide  
(9CI) (CA INDEX NAME)



● Br<sup>-</sup>

- CC 41-6 (Dyes, Organic Pigments, Fluorescent Brighteners, and Photographic Sensitizers)  
Section cross-reference(s): 73
- ST cyanine dye prepn bichromophoric conjugated
- IT Molecular structure-property relationship  
(UV spectra; for cyanine dyes containing two conjugated chromophores)
- IT Bond angle  
(dihedral; of prepared cyanine dyes containing two conjugated chromophores)
- IT UV and visible spectra  
(of prepared cyanine dyes containing two conjugated chromophores)
- IT Cyanine dyes  
(preparation of cyanine dyes containing two conjugated chromophores)
- IT Molecular structure-property relationship  
(visible spectra; for cyanine dyes containing two conjugated chromophores)
- IT 223240-09-3P 223240-17-3P, 4-Methyl-1-(1-naphthylmethyl)pyridinium perchlorate  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(dye precursor; preparation of cyanine dyes containing two conjugated chromophores)
- IT 223240-10-6P 223240-11-7P 223240-12-8P 223240-13-9P  
223240-14-0P 223240-15-1P  
RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(dye; preparation of cyanine dyes containing two conjugated chromophores)
- IT 223240-19-5P 223240-21-9P 223240-23-1P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(dye; preparation of cyanine dyes containing two conjugated chromophores)
- IT 84-83-3, 1,3,3-Trimethylindolin-2-ylideneacetaldehyde 86-52-2,  
1-(Chloromethyl)naphthalene 100-10-7, p-  
(Dimethylamino)benzaldehyde 108-89-4 120-21-8,  
p-(Diethylamino)benzaldehyde 29310-88-1,  
3-(Bromoacetyl)coumarin 161266-45-1  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(starting material; preparation of cyanine dyes containing two conjugated chromophores)
- REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE  
FOR THIS RECORD. ALL CITATIONS AVAILABLE  
IN THE RE FORMAT

ACCESSION NUMBER: 1996:161185 HCAPLUS Full-text  
 DOCUMENT NUMBER: 124:197760  
 TITLE: Photocleavable agents and conjugates  
 for the detection and isolation of biomolecules.  
 INVENTOR(S): Rothschild, Kenneth J.; Sonar, Sanjay M.;  
 Olejnik, Jerzy  
 PATENT ASSIGNEE(S): USA  
 SOURCE: PCT Int. Appl., 149 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
WO 9531429	A1	19951123	WO 1995-US5555	199505 11
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN				
US 5643722	A	19970701	US 1994-240511	199405 11
US 5986076	A	19991116	US 1994-345807	199411 22
AU 9526359	A	19951205	AU 1995-26359	199505 11
EP 763009	A1	19970319	EP 1995-921230	199505 11
EP 763009	B1	20040908		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 10500409	T	19980113	JP 1995-529698	199505 11
EP 1415995	A2	20040506	EP 2003-78381	199505 11
EP 1415995	A3	20040512		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
AT 275539	T	20040915	AT 1995-921230	199505 11
US 6210941	B1	20010403	US 1999-290325	199904 12
US 6344320	B1	20020205	US 1999-307579	199905 07
US 6596481	B1	20030722	US 1999-335018	199906 17

US 6358689	B1	20020319	US 2000-583243	200005 31
US 2002123032	A1	20020905	US 2001-943120	200108 30
US 6566070	B2	20030520		
US 2003059785	A1	20030327	US 2001-34736	200112 27
US 6919179	B2	20050719		
US 2004033514	A1	20040219	US 2003-401251	200303 27
US 7169558	B2	20070130		
US 2006024704	A1	20060202	US 2005-145781	200506 06
US 7211394	B2	20070501		
US 2007172849	A1	20070726	US 2006-589425	200610 30
US 2007148680	A1	20070628	US 2006-639121	200612 14
PRIORITY APPLN. INFO.:			US 1994-240511	A 199405 11
			US 1994-345807	A 199411 22
			EP 1995-921230	A3 199505 11
			WO 1995-US5555	W 199505 11
			US 1997-884325	A1 199706 27
			US 1999-290325	A1 199904 12
			US 1999-307579	A1 199905 07
			US 1999-335018	A1 199906 17
			US 2000-583243	A1 200005 31

US 2000-605483	B1	200006 28
US 2001-943120	A1	200108 30
US 2001-34736	A1	200112 27
US 2003-401251	A1	200303 27
US 2005-145781	A1	200506 06

OTHER SOURCE(S): MARPAT 124:197760


AB This invention relates to agents and **conjugates** that can be used to detect and isolate target components from complex mixts. such as nucleic acids from biol. samples, cells from bodily fluids, and nascent proteins from translation reactions. Agents comprise a detectable moiety bound to a photoreactive moiety. **Conjugates** comprise agents coupled to substrates by covalent bonds which can be selectively cleaved with the administration of electromagnetic radiation. Target substances labeled with detectable mols. can be easily identified and separated from a heterologous mixture of substances. Exposure of the **conjugate** to radiation releases the target in a functional form and completely unaltered. Using photocleavable mol. **precursors** as the **conjugates**, label can be incorporated into macromols., the nascent macromols. isolated, and the label completely removed. The invention also relates to targets isolated with these **conjugates** which may be useful as pharmaceutical agents or compns. that can be administered to humans and other mammals. Useful compns. include biol. agents such as nucleic acids, proteins, lipids and cytokines. **Conjugates** can also be used to monitor the pathway and half-life of pharmaceutical compns. in vivo and for diagnostic, therapeutic and prophylactic purposes. The invention also relates to kits comprised of agents and **conjugates** that can be used for the detection of diseases, disorders and nearly any individual substance in a complex background of substances.

IT 62935-72-2

RL: RCT (Reactant); RACT (Reactant or reagent)  
(photocleavable agents and **conjugates** for detection and isolation of biomols.)

RN 62935-72-2 HCAPLUS

CN 2H-1-Benzopyran-4-acetic acid, 7-methoxy-2-oxo- (CA INDEX NAME)




IT 174406-70-3P 174406-71-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(photocleavable agents and conjugates for detection and isolation of biomols.)


RN 174406-70-3 HCAPLUS

CN 2H-1-Benzopyran-4-acetamide, N-[(3-acetyl-4-nitrophenyl)methyl]-7-methoxy-2-oxo- (CA INDEX NAME)



RN 174406-71-4 HCAPLUS

CN 2H-1-Benzopyran-4-acetamide, N-[[3-(1-hydroxyethyl)-4-nitrophenyl]methyl]-7-methoxy-2-oxo- (CA INDEX NAME)



IC C07C205-00; C07C205-06; C07C205-07; C07D235-02; C07H001-06; C07H001-08; C07H021-02; C07H021-04; C07K001-02; C07K001-04; C07K001-08; C07K001-10

CC 9-15 (Biochemical Methods)

Section cross-reference(s): 1, 3, 14

ST photocleavable agent conjugate biomol detection isolation; disease diagnosis photocleavable agent; drug therapy photocleavable agent; nucleic acid detection isolation photocleavable agent; biopolymer detection isolation photocleavable agent; biotin photocleavable deriv biomol detection isolation

IT Phosphatidylethanolamines

Phosphatidylserines

RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)



- (acylated, photocleavable biotin conjugates;  
photocleavable agents and conjugates for detection and  
isolation of biomols.)
- IT Transplant and Transplantation  
(bone marrow; photocleavable agents and conjugates for  
detection and isolation of biomols.)
- IT Amino acids, preparation  
Peptides, preparation  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); SPN  
(Synthetic preparation); ANST (Analytical study); PREP  
(Preparation); USES (Uses)  
(conjugates with photocleavable agents; photocleavable  
agents and conjugates for detection and isolation of  
biomols.)
- IT 2,4-Dinitrophenyl group  
Animal tissue  
Animal tissue culture  
Antibiotics  
Bacteria  
Biotinylation  
Blood  
Body fluid  
Cell  
Ceramic materials and wares  
Cholera  
Chromatography  
Diagnosis  
Electromagnetic wave  
Fluorescent substances  
Hematopoietic precursor cell  
Immunomodulators  
Infection  
Infrared radiation  
Light  
Liposome  
Lymph  
Magnetic substances  
Micelles  
Microwave  
Neoplasm  
Nucleic acid hybridization  
Parasite  
Pharmaceutical analysis  
Pharmaceuticals  
Photochemistry  
Photolysis  
Physiological saline solutions  
Polymerase chain reaction  
Radio wave  
Semiconductor materials  
Therapeutics  
Ultraviolet radiation  
Vaccines  
Virus  
(photocleavable agents and conjugates for detection and  
isolation of biomols.)
- IT Biopolymers  
Enzymes  
Fatty acids, analysis  
Lipids, analysis

Lymphokines and Cytokines  
Neoplasm inhibitors  
Nucleic acids  
Nucleosides, analysis  
Polysaccharides, analysis  
Proteins, analysis  
Ribonucleic acids, transfer  
Toxins  
RL: ANT (Analyte); PUR (Purification or recovery); ANST (Analytical study); PREP (Preparation)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Deoxyribonucleic acids  
RL: ANT (Analyte); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Ribonucleic acids  
RL: ANT (Analyte); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Luminescent substances  
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Antibodies  
Avidins  
Carbohydrates and Sugars, uses  
Glycoproteins, uses  
Halides  
Haptens  
Hormone receptors  
Hormones  
Nitroxides  
Radioelements, uses  
Receptors  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Glass, oxide  
RL: ARU (Analytical role, unclassified); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Metals, analysis  
RL: ARU (Analytical role, unclassified); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Plastics  
RL: ARU (Analytical role, unclassified); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

IT Collagens, biological studies  
RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); BIOL (Biological study); USES (Uses)

- (photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Glycerides, biological studies  
RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); BIOL (Biological study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Oils  
RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); BIOL (Biological study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Antigens  
RL: ANT (Analyte); ANST (Analytical study)  
(CD3, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Antigens  
RL: ANT (Analyte); ANST (Analytical study)  
(CD34, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Onium compounds  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(acridinium, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Molecules  
(biochem., photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Macromolecular compounds  
RL: ANT (Analyte); PUR (Purification or recovery); ANST (Analytical study); PREP (Preparation)  
(biol., photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Therapeutics  
(chemo-, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Virus, animal  
(cytomegalo-, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Magnetic substances  
(dia-, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Digestive tract  
(disease, gastroenteritis, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Genetics  
(disorders, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Virus, animal  
(entero-, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Immunoassay  
(enzyme-linked immunosorbent assay, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Magnetic substances  
(ferro-, photocleavable agents and conjugates for detection and isolation of biomols.)
- IT Embryo  
(fetus, photocleavable agents and conjugates for detection and isolation of biomols.)

- IT Virus, animal  
(hepatitis B, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Receptors  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(hormone, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Virus, animal  
(human T-cell leukemia type I, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Virus, animal  
(human immunodeficiency, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Nucleic acid hybridization  
(in situ, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Body fluid  
(interstitial, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Ribonucleic acids, transfer  
RL: SPN (Synthetic preparation); PREP (Preparation)  
(lysine-specific, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Nucleotides, preparation  
RL: SPN (Synthetic preparation); PREP (Preparation)  
(oligo-, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Virus, animal  
(papilloma, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Magnetic substances  
(para-, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Cell  
(stem, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT Bone marrow  
(transplant, photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT 7553-56-2, Iodine, uses 7726-95-6, Bromine, uses 7782-41-4, Fluorine, uses 7782-50-5, Chlorine, uses  
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)  
(photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT 260-94-6, Acridine 7440-18-8D, Ruthenium, chelates 9013-20-1, Streptavidin 11028-71-0, Concanavalin A 14809-11-1D, Phosphoramidous acid, derivs., linkers 73467-76-2, Benzopyrene  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(photocleavable agents and **conjugates** for detection and isolation of biomols.)
- IT 58-85-5DP, Biotin, photocleavable derivs. 91-64-5DP, Coumarin, photocleavable derivs. 605-65-2DP, Dansyl chloride, photocleavable derivs. 2321-07-5DP, photocleavable derivs. 13558-31-1DP, photocleavable derivs. 166983-72-8P 174406-67-8P 174406-69-0P 174406-72-5P  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); SPN (Synthetic preparation); ANST (Analytical study); PREP

(Preparation); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)

- IT 9012-36-6, Agarose  
RL: ARU (Analytical role, unclassified); NUU (Other use, unclassified); ANST (Analytical study); USES (Uses)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT 9012-90-2, DNA polymerase 9014-24-8, RNA polymerase 9027-67-2, Terminal deoxynucleotidyl transferase  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT 56-84-8, Aspartic acid, reactions 56-86-0, Glutamic acid, reactions 58-61-7, Adenosine, reactions 100-97-0, reactions 105-53-3, Diethyl malonate 951-77-9, Deoxycytidine 2840-26-8, 3-Amino-4-methoxybenzoic acid 3113-72-2, 5-Methyl-2-nitrobenzoic acid 6851-99-6, 2-Bromo-2'-nitroacetophenone 17776-78-2 58822-25-6, Leucine-enkephalin 62935-72-2 72040-64-3 74124-79-1, N,N'-Disuccinimidyl carbonate 89992-70-1, 2-Cyanoethyl-N,N-diisopropylchlorophosphoramidite 105409-84-5 147218-60-8 166983-74-0, 5-Aminomethyl-2-nitroacetophenone hydrochloride 174406-73-6  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT 23082-65-7P 38818-49-4P, 5-Methyl-2-nitrobenzoyl chloride 58822-25-6DP, Leucine-enkephalin, photocleavable biotin conjugates 69976-70-1P, 5-Methyl-2-nitroacetophenone 99821-59-7P, 5-Bromomethyl-2-nitroacetophenone 130017-51-5P 130017-52-6P, 2-Nitro-4-methoxy-5-(N-acetyl amino)acetophenone 141468-63-5P 166983-70-6P 166983-71-7P 174157-59-6P 174406-66-7P 174406-68-9P 174406-70-3P 174406-71-4P 174406-74-7P 174406-75-8P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT 105409-84-5DP, photocleavable biotin conjugates 105434-72-8DP, photocleavable biotin conjugates 143908-73-0DP, photocleavable biotin conjugates 147218-60-8DP, photocleavable biotin conjugates 174157-60-9P 174157-61-0P  
RL: SPN (Synthetic preparation); PREP (Preparation)  
(photocleavable agents and conjugates for detection and isolation of biomols.)
- IT 91-64-5P, Coumarin  
RL: ARG (Analytical reagent use); NUU (Other use, unclassified); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)  
(photocleavable derivs.; photocleavable agents and conjugates for detection and isolation of biomols.)

L24 ANSWER 14 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1995:621732 HCAPLUS Full-text

DOCUMENT NUMBER: 123:138159

TITLE: Fluorescent oxygen channeling immunoassays

INVENTOR(S): Davalian, Dariush; Singh, Rajendra; Ullman, Edwin F.

PATENT ASSIGNEE(S): Syntex (U.S.A.) Inc., USA  
 SOURCE: PCT Int. Appl., 71 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9506877	A1	19950309	WO 1994-US9705	19940829
W: CA, JP RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2170873	A1	19950309	CA 1994-2170873	19940829
EP 716746	A1	19960619	EP 1994-927258	19940829
EP 716746	B1	19990317		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
JP 09502520	T	19970311	JP 1995-508205	19940829
JP 3498960	B2	20040223		
AT 177842	T	19990415	AT 1994-927258	19940829
ES 2135597	T3	19991101	ES 1994-927258	19940829
US 5616719	A	19970401	US 1995-438154	19950509
US 5807675	A	19980915	US 1995-479743	19950607
PRIORITY APPLN. INFO.:			US 1993-117365	A 19930903
			WO 1994-US9705	W 19940829

OTHER SOURCE(S): MARPAT 123:138159

AB Methods are disclosed for determining an analyte in a medium suspected of containing the analyte. One method comprises treating a medium suspected of containing an analyte under conditions such that the analyte, if present, causes a photosensitizer and a photoactive indicator precursor mol. to come into close proximity. The photosensitizer generates singlet oxygen which activates the photoactive indicator precursor to generate a photoactive indicator mol. Upon irradiation with light the photoactive indicator mol. produces light, which is measured. The amount of light produced by the

photoactive indicator is related to the amount of analyte in the medium.  
Compns., kits, and compds. are also disclosed.

IT 91-44-1, Coumarin-1  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(fluorescent oxygen channeling immunoassays for polynucleotide or other analyte determination)  
RN 91-44-1 HCAPLUS  
CN 2H-1-Benzopyran-2-one, 7-(diethylamino)-4-methyl- (CA INDEX NAME)



IC ICM G01N033-58  
ICS G01N033-94; G01N033-569; G01N033-533; C12Q001-68; G01N033-542;  
C07D311-20  
CC 9-10 (Biochemical Methods)  
Section cross-reference(s): 64  
IT Latex  
RL: ARG (Analytical reagent use); DEV (Device component use); ANST  
(Analytical study); USES (Uses)  
(photoactive indicator precursor-containing; fluorescent  
oxygen channeling immunoassays for polynucleotide or other  
analyte determination)  
IT 9013-20-1P, Streptavidin  
RL: ARG (Analytical reagent use); DEV (Device component use); SPN  
(Synthetic preparation); ANST (Analytical study); PREP  
(Preparation); USES (Uses)  
(conjugates with photoactive indicator  
precursor latex; fluorescent oxygen channeling  
immunoassays for polynucleotide or other analyte determination)  
IT 58-85-5DP, Biotin, conjugate with CTAATC-30mer  
55843-71-5P, Benzenetellurenyl bromide 163923-07-7P 163923-08-8P  
163923-09-9P  
RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST  
(Analytical study); PREP (Preparation); USES (Uses)  
(fluorescent oxygen channeling immunoassays for polynucleotide or  
other analyte determination)  
IT 91-44-1, Coumarin-1 586-77-6 591-51-5  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(fluorescent oxygen channeling immunoassays for polynucleotide or  
other analyte determination)

L24 ANSWER 15 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 1993:642934 HCAPLUS Full-text  
DOCUMENT NUMBER: 119:242934  
TITLE: Photocleavage of DNA using organic oxyradicals  
INVENTOR(S): Herkstroeter, William George; Farid, Samir  
Yacoub; Gould, Ian Robert; Chen, Chin Hsin;  
Jayaraman, Krishna; Specht, Donald P.  
PATENT ASSIGNEE(S): Eastman Kodak Co., USA  
SOURCE: PCT Int. Appl., 56 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1

## PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
WO 9314104	A1	19930722	WO 1993-US256	199301 13
W: CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			US 1992-819905	A 199201 13
			US 1993-1362	A 199301 07

OTHER SOURCE(S): MARPAT 119:242934

AB Compns. for photocleavage of DNA comprise an oligonucleotide conjugated to an organic oxyradical precursor. The precursor can produce an oxyradical by direct photoexcitation, or by accepting an electron from a dye followed by release of an oxyradical. Upon exposure of a solution containing the target DNA and the conjugate (and a dye if necessary) to activating light, an oxyradical is produced and the sugar-phosphate backbone of the target is cleaved. Alternatively, the oligonucleotide can be conjugated to the dye. A conjugate of acridine orange and M13-complementary oligonucleotide was prepared. Exposure of a solution of M13, dye-oligonucleotide conjugate, and oxyradical precursor 1,5-bis-(stilbazole-N-oxide)-pentane to light of appropriate wavelength resulted in cleavage of M13 in only one confined region of the entire DNA sequence.

IT 151010-81-0 151010-82-1 151010-91-2


RL: RCT (Reactant); RACT (Reactant or reagent)

(in DNA selective photocleavage with oligonucleotide-dye or oligonucleotide-oxyradical precursor conjugates)

)

RN 151010-81-0 HCAPLUS


CN 2H-1-Benzopyran-2-one, 7-(dimethylamino)-3-(methylsulfonyl)- (CA INDEX NAME)



RN 151010-82-1 HCAPLUS

CN 2H-1-Benzopyran-2-one, 7-(diethylamino)-3-[[7-[ethyl(2-hydroxyethyl)amino]-2-oxo-2H-1-benzopyran-3-yl]sulfonyl]- (9CI) (CA INDEX NAME)






RN 151010-91-2 HCAPLUS

CN Pyridinium, 3-[[2-[[3-[[7-(diethylamino)-2-oxo-2H-1-benzopyran-3-yl]sulfonyl]-2-oxo-2H-1-benzopyran-7-yl]ethylamino]ethoxy]carbonyl]-1-methoxy-, salt with trifluoromethanesulfonic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 151010-90-1


CMF C33 H34 N3 O9 S



CM 2

CRN 37181-39-8

CMF C F3 O3 S



IC ICM C07H021-00

ICS C07H001-00; C07D213-89; G03F007-031

CC 3-1 (Biochemical Genetics)

ST DNA photocleavage oligonucleotide dye conjugate;  
oxyradical precursor oligonucleotide conjugate  
DNA cleavage

IT Dyes

(conjugates, with oligonucleotides, in selective photocleavage of DNA by oxyradicals)

IT Radicals, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(oxy-, selective DNA photocleavage with, oligonucleotide-dye or oligonucleotide-oxyradical precursor conjugates in)

IT Deoxyribonucleic acids

RL: BIOL (Biological study)

(photocleavage of, selective, oligonucleotide-dye or

oligonucleotide-oxyradical precursor conjugates  
in)

IT Nucleotides, polymers  
RL: BIOL (Biological study)  
(oligo-, conjugates, with dye or oxyradical  
precursor, in DNA selective photocleavage)

IT 65-61-2 83-89-6, Quinacrine 117-92-0, Quinaldine red 134-50-9,  
9-Aminoacridine hydrochloride 135-49-9, Acridine yellow  
477-73-6, Safranin O 550-15-2 634-21-9, Ethyl red 952-23-8  
989-38-8, Rhodamine 6G 1239-45-8, Ethidium bromide 1811-28-5  
1837-57-6, 6,9-Diamino-2-ethoxyacridine lactate 2465-27-2,  
Auramine O 3915-61-5 5409-37-0 7385-67-3, Nile red  
7440-18-8D, Ruthenium, dyes 14323-06-9 14806-50-9 16050-67-2  
20195-94-2 23570-43-6 48153-94-2 63123-42-2 64339-18-0  
69235-50-3 76433-27-7 81650-07-9 88598-43-0 89846-21-9  
94564-82-6 107091-89-4, Thiazole orange 116477-15-7  
118768-07-3 149264-54-0 151010-68-3 151010-69-4 151010-70-7  
151010-71-8 151010-72-9 151010-73-0 151010-74-1 151010-75-2  
151010-76-3 151010-77-4 151010-78-5 151010-79-6 151010-80-9  
151010-81-0 151010-82-1 151010-84-3  
151010-85-4 151010-87-6 151010-88-7 151010-89-8  
151010-91-2 151010-93-4 151010-95-6 151010-96-7  
151010-97-8 151010-98-9 151010-99-0 151011-00-6 151011-01-7  
151011-02-8 151011-03-9 151011-04-0 151011-06-2 151011-07-3  
151011-09-5 151011-10-8 151011-11-9 151036-31-6 151036-32-7  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(in DNA selective photocleavage with oligonucleotide-dye or  
oligonucleotide-oxyradical precursor conjugates  
)

L24 ANSWER 16 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1993:576661 HCAPLUS Full-text

DOCUMENT NUMBER: 119:176661

TITLE: Purification of the precursor  
interleukin 1 $\beta$  converting enzyme of human  
and cloning of cDNAs for the subunits

INVENTOR(S): Howard, Andrew D.; Molineaux, Susan M.; Tocci,  
Michael J.; Calaycay, Jimmy R.; Miller, Douglas  
K.

PATENT ASSIGNEE(S): Merck and Co., Inc., USA

SOURCE: Can. Pat. Appl., 173 pp.

CODEN: CPXXEB

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
CA 2076159	A1	19930217	CA 1992-2076159	199208 14
CA 2076159	C	20001205		
EP 533350	A1	19930324	EP 1992-307479	199208 14
EP 533350	B1	19990526		
R: CH, DE, FR, GB, IT, LI, NL				
JP 05227961	A	19930907	JP 1992-218039	

199208  
17

JP 3136551 B2 20010219  
JP 11069972 A 19990316 JP 1998-196222

199208  
17

WO 9400154 A1 19940106 WO 1993-US5687

199306  
14

W: AU, BB, BG, BR, CA, CZ, FI, HU, JP, KR, KZ, LK, MG, MN, MW,  
NO, NZ, PL, RO, RU, SD, SK, UA, US

RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT,  
SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG

AU 9346349 A 19940124 AU 1993-46349

199306  
14

EP 648128 A1 19950419 EP 1993-916529

199306  
14

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT,  
SE

JP 08500242 T 19960116 JP 1993-502418

199306  
14

PRIORITY APPLN. INFO.:

US 1991-746454 A

199108  
16

US 1992-906392 A

199206  
24

JP 1992-218039 A3

199208  
17

WO 1993-US5687 A

199306  
14

AB Human interleukin 1 $\beta$ -converting enzyme is isolated from monocytes and characterized and cDNAs encoding the 10 and 24 kDA subunits are cloned. and expressed for use in the manufacture of biol. active interleukin 1 $\beta$  and in the detection of the enzyme in the diagnosis of inflammatory disease. The enzyme is useful in the manufacture of interleukin 1 $\beta$  and in the diagnosis of inflammatory disease. The enzyme was purified chromatog. from clarified lysates of human monocytes with the activity followed by assay of cleavage of labeled rabbit interleukin 1 $\beta$ . The purified enzyme was inhibited by thiol alkylating agents and phenanthroline-metal complexes, had a narrow pH optimum (between pH 7 and 8) and was most active at low salt concns. Synthetic assay substrates were developed and used as affinity ligands for purification of the enzyme. CDNAs for the subunits were cloned by PCR and expressed in bacterial yeast and animal systems.

IT 149231-64-1P 149231-74-3P 149231-75-4P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RACT (Reactant or reagent)

(preparation and reactions of, in preparation substrate for interleukin  
1 $\beta$ -converting enzyme of human monocytes)

RN 149231-64-1 HCAPLUS

CN Butanoic acid, 3-amino-4-[(4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]-4-oxo-, 1,1-dimethylethyl ester, (3S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 149231-74-3 HCAPLUS

CN Butanoic acid, 4-[(4-methyl-2-oxo-2H-1-benzopyran-7-yl)amino]-4-oxo-3-[[2-propenyloxy)carbonyl]amino]-, 1,1-dimethylethyl ester, (3S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 149231-75-4 HCAPLUS


CN L- $\alpha$ -Asparagine, N-acetyl-L-tyrosyl-L-valyl-L-alanyl-N-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




PAGE 1-A

PAGE 1-B



IT 26093-31-2  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (reactions of, in preparation substrates for interleukin  
 1 $\beta$ -converting enzyme of human monocytes)  
 RN 26093-31-2 HCAPLUS  
 CN 2H-1-Benzopyran-2-one, 7-amino-4-methyl- (CA INDEX NAME)



IC ICM C12N015-57  
 ICS C12N009-64; C12P021-08; C12N001-21  
 CC 7-2 (Enzymes)  
 Section cross-reference(s): 15  
 IT 149231-64-1P 149231-74-3P 149231-75-4P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (preparation and reactions of, in preparation substrate for interleukin  
 1 $\beta$ -converting enzyme of human monocytes)  
 IT 147395-44-6DP, conjugates with Sepharose CL-4B  
 RL: PREP (Preparation)  
 (preparation of, as affinity ligand for purification of interleukin  
 1 $\beta$ -converting enzyme of human)  
 IT 126-81-8 1892-57-5 26093-31-2 71849-58-6 143305-35-5  
 143382-04-1  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (reactions of, in preparation substrates for interleukin  
 1 $\beta$ -converting enzyme of human monocytes)  
 IT 122191-40-6, Proteinase, interleukin 1 $\beta$  precursor  
 RL: BIOL (Biological study)  
 (subunits of, cDNAs for, cloning of, assay of and diagnosis of  
 inflammatory diseases in relation to)

L24 ANSWER 17 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 1993:423254 HCAPLUS Full-text  
 DOCUMENT NUMBER: 119:23254  
 TITLE: Sensitive, hydrosoluble, macromolecular  
 fluorogenic substrates for human  
 immunodeficiency virus 1 proteinase  
 AUTHOR(S): Anjuere, Fabienne; Monsigny, Michel; Lelievre,  
 Yves; Mayer, Roger

CORPORATE SOURCE: Cent. Biophys. Mol., Univ. Orleans, Orleans,  
45071, Fr.  
SOURCE: Biochemical Journal (1993), 291(3), 869-73  
CODEN: BIJOAK; ISSN: 0306-3275  
DOCUMENT TYPE: Journal  
LANGUAGE: English

AB Hydrosol. macromol. fluorogenic substrates specific for the human immunodeficiency virus 1 (HIV-1) proteinase have been prepared. The fluoresceinyl peptide Ftc- $\epsilon$ -Ahx-Ser-Phe-Asn-Phe-Pro-Gln-Ile-Thr(Gly)<sub>n</sub> (Ftc = fluoresceinylthiocarbonyl), corresponding to the first cleavage site of HIV-1 gag-pol native precursor was linked to a water-soluble neutral (Lys)<sub>n</sub> derivative. The  $\epsilon$ -aminohexanoyl residue ( $\epsilon$ -Ahx) and the glycyl sequence were added in order to improve the stability of the substrate and the accessibility of the cleavage site to the HIV-1 proteinase resp. This macromol. peptidic-substrate conjugate is significantly more water-soluble than the free peptide itself on a substrate molar concentration basis. The assay is based on the quant. precipitation of the polymeric material by adding propan-2-ol whereas the fluorescent peptide moiety released upon proteolysis remains soluble in the supernatant. The proteinase activity is assessed by measuring the fluorescence of the supernatant. This assay allows the detection of a few fmol of HIV-1 proteinase, even in the presence of cell culture media, plasma or cell lysate and it gives accurate results within a large proteinase concentration range. The hydrosol. macromol. substrate is also suitable for determining the HIV-1 proteinase activity using 96-well microplates, allowing one to test accurately and rapidly numerous enzyme samples and/or the potency of new proteinase inhibitors.

IT 148333-22-6


RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with HIV-1 proteinase, kinetics of)

RN 148333-22-6 HCAPLUS


CN L-Serinamide, N-(3-carboxy-1-oxopropyl)-L-threonyl-L-leucyl-L-asparaginyl-L-phenylalanyl-L-prolyl-L-isoleucyl-N-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B



CC 7-1 (Enzymes)  
 IT 148333-21-5DP, reaction products with gluconoyl and glycyl substituted polylysine  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation and conjugation with polylysine derivs. of)  
 IT 148333-22-6  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (reaction of, with HIV-1 proteinase, kinetics of)

L24 ANSWER 18 OF 18 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1984:625811 HCAPLUS Full-text

DOCUMENT NUMBER: 101:225811

ORIGINAL REFERENCE NO.: 101:34195a,34198a

TITLE: Activated aryl capped fluorescent compounds, and assay methods and systems using them as fluorogenic precursors

INVENTOR(S): Khanna, Pyare L.; Chang, Chiu Chin; Ullman, Edwin F.

PATENT ASSIGNEE(S): Syva Co., USA

SOURCE: Eur. Pat. Appl., 26 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 110682	A2	19840613	EP 1983-307183	19831124
EP 110682	A3	19860416		
EP 110682	B1	19910821		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
US 4857455	A	19890815	US 1982-444658	19821126
JP 59106300	A	19840619	JP 1983-219666	19831124
JP 06055158	B	19940727		
AT 66492	T	19910915	AT 1983-307183	19831124
CA 1338608	C	19960924	CA 1983-441882	19831124

PRIORITY APPLN. INFO.:

US 1982-444658

A

198211

26

EP 1983-307183

A


198311

24

OTHER SOURCE(S):

CASREACT 101:225811; MARPAT 101:225811

GI



AB Capped aromatic fluorogenic substrates such as I (where X = oxy or amino; R = phenolic fluorescent compound selected from 7-hydroxychromenone and 3,6-dihydroxyxanthenes; n = 0-6; and Z = alkyl of 1-3 C atoms or a polar group having 0-6 C atoms and 1-6 heteroatoms) are prepared and used for the determination of peroxidase. The peroxidase is useful as a label for determining a wide variety of analytes by coupling with antibodies. Thus, 3-carboxy-7-(4'-aminophenoxy)coumarin (II) was prepared as a fluorescent substrate for peroxidase. 3-Carboethoxyumbelliferone (10.68 g) in toluene is refluxed for 1 h, NaOH is added to the cooled mixture, and the mixture is heated with refluxing for 1/2 h. The residue, dried under vacuum overnight, is suspended in DMF with anhydrous K carbonate and heated slowly while adding p-fluoronitrobenzene in DMF. Heating near refluxing is carried out for 2 h, addnl. p-fluoronitrobenzene is added, and the reaction is allowed to proceed overnight. The precipitate is collected by filtration, followed by extraction with CH<sub>2</sub>Cl<sub>2</sub>, to yield 5.3 g of yellow solid. The solid is purified by silica gel chromatog. using CH<sub>2</sub>Cl<sub>2</sub> as solvent and elution with 5% EtOAc in CH<sub>2</sub>Cl<sub>2</sub> to give 1.25 g carboethoxy-7-(4'-nitrophenoxy)coumarin (III)/m.p. 163°. A 50% aqueous EtOH solution containing III and FeCl<sub>2</sub> is gradually heated with addition of concentration HCl in 50% aqueous EtOH. The mixture is refluxed, cooled, diluted with H<sub>2</sub>O, and extracted with ether. The ether exts. are dried over anhydrous Na<sub>2</sub>SO<sub>4</sub>, yielding 18 g of 3-carboethoxy-7-(4'-aminophenoxy)coumarin (m.p. 136-138°). III is dissolved in dioxane, cold 20% H<sub>2</sub>SO<sub>4</sub> is added, and refluxing is carried out overnight. The pH of the solution, after cooling, is adjusted to pH 5, and the resulting precipitate (m.p. 213-214°) is recovered. An assay for poly(ribose phosphate) was developed with peroxidase and antibodies to the poly(ribose phosphate) coupled to it.

IT 92921-51-2P


RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrolysis of)

RN 92921-51-2 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-[4-[(2-ethoxy-2-oxoethyl)amino]phenoxy]-2-oxo-, ethyl ester (CA INDEX NAME)






IT 92921-49-8P 92943-78-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (preparation and reaction of)


RN 92921-49-8 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(3-methyl-4-nitrophenoxy)-2-oxo-, ethyl ester (CA INDEX NAME)



RN 92943-78-7 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(4-aminophenoxy)-2-oxo-, ethyl ester (CA INDEX NAME)




IT 92921-54-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT (Reactant or reagent)  
 (preparation and reaction with aminodeoxyglucose hydrochloride)

RN 92921-54-5 HCAPLUS

CN 2,5-Pyrrolidinedione, 1-[[[7-(4-amino-3-methylphenoxy)-2-oxo-2H-1-benzopyran-3-yl]carbonyl]oxy]- (9CI) (CA INDEX NAME)




IT 92921-46-5P

RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
 (preparation and reduction of)

RN 92921-46-5 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(4-nitrophenoxy)-2-oxo-, ethyl ester (CA INDEX NAME)




IT 92921-56-7

RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with bromosuccinamide)

RN 92921-56-7 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-(4-amino-3-methylphenoxy)-2-oxo-, ethyl ester (CA INDEX NAME)




IT 6093-71-6

RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with fluoronitrobenzene)

RN 6093-71-6 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-hydroxy-2-oxo-, ethyl ester  
(CA INDEX NAME)




IT 92921-48-7

RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with methylnitrofluorobenzene)

RN 92921-48-7 HCAPLUS

CN 2H-1-Benzopyran-3-carboxylic acid, 7-hydroxy-2-oxo-, ethyl ester, sodium salt (9CI) (CA INDEX NAME)



● Na

IC C12Q001-28; G01N033-54; C07D311-16; C07D311-82; C07D493-10

ICI C07D493-10, C07D311-00, C07D307-00

CC 7-3 (Enzymes)  
Section cross-reference(s): 9

IT 72657-53-5  
RL: ANT (Analyte); ANST (Analytical study)  
(determination of, with peroxidase conjugated to poly(ribose phosphate) antibody)

IT 92921-51-2P  
RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
(preparation and hydrolysis of)

IT 92921-49-8P 92943-78-7P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation and reaction of)

IT 92921-54-5P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation and reaction with aminodeoxyglucose hydrochloride)

IT 92921-46-5P  
RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
(preparation and reduction of)

IT 92921-56-7  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with bromosuccinamide)

IT 6093-71-6  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with fluoronitrobenzene)

IT 92921-48-7  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction of, with methylnitrofluorobenzene)

=>